

Belco Petroleum Corporation

Belco

December 17, 1979

Mr. Edgar W. Guynn
United States Geological Survey
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

RE: Applications for Permit to Drill

Dear Mr. Guynn:

Attached are Applications for Permit to Drill, Survey
Plats, BOP Diagrams and Surface Use Plans for the following
Uintah County wells:

STAGECOACH ~~UNIT~~ 19-33
1152' FWL & 951' FNL (NW NW)
Section 33, T8S, R21E

CHAPITA WELLS 1-4 FEDERAL
1022' FWL & 1856' FNL (SWNW)
Section 4, T9S, R22E

STAGECOACH UNIT 20-7
989' FSL & 1648' FEL (SW SE)
Section 7, T9S, R22E

CHAPITA WELLS 1-5 FEDERAL
1249' FSL & 984' FEL (SESE)
Section 5, T9S, R22E

STAGECOACH UNIT 21-8
1367' FNL & 1148' FEL (SE NE)
Section 8, T9S, R22E

Very truly yours,

BELCO PETROLEUM CORPORATION

ORIGINAL SIGNED BY
LEO R. SCHUELER

Leo R. Schueler
District Manager

RECEIVED

DEC 21 1979

MEC/rgt

Attachments

cc: Utah Division of Oil, Gas & Mining
Houston
Denver
Vernal
File

DIVISION OF
OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒GAS
WELL ☐

OTHER

SINGLE
ZONE ☒MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

BELCO PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface

1249' FSL & 984' FEL (SE SE)

At proposed prod. zone

SAME

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

984'

16. NO. OF ACRES IN LEASE

1224

17. NO. OF ACRES ASSIGNED
TO THIS WELL18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH

7224

20. ROTARY OR CABLE TOOLS

ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4729' NAT GL

22. APPROX. DATE WORK WILL START*

4/80

23.

PROPOSED CASING AND CEMENTING PROGRAM


SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9-5/8"	36.0# K-55	200'	200 sx
7-7/8"	4 1/2"	11.6# K-55	7224'	1000 sx

1. SURFACE FORMATION: Uinta
2. EST LOG TOPS: Green River 1584', Wasatch 5134'.
3. Anticipate water throughout the Uinta. Anticipate oil in the Green River 1584' and the Wasatch from 5134' to TD.
4. CASING DESIGN: New casing as described above. Surface casing will be set with a dry hole digger.
5. MINIMUM BOP: 10", 3000 psi hydraulic double gate BOP. Will test to 1000 psi prior to drilling surface plug and on each trip for bit.
6. MUD PROGRAM: A water-based gel-chemical mud weighted to 10.5 ppg will be used to control the well.
7. AUX. EQUIP: 2" 3000 psi choke manifold & kill line, kelly cock, stabbing valve and visual mud monitoring.
8. No cores or DST's are anticipated. Will run DIL, CNL-FDC-GR w/Caliper logs. A fracture treatment of ±15,000 gals ADC & ±15,000# sand is expected.
9. No abnormal pressures or problems are anticipated.
10. Operations will commence approx 4/80 and end approx 4/80.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED



TITLE

ENGINEERING CLERK

DATE

12/17/79

(This space for Federal or State office use)

PERMIT NO.

43-047-30661

APPROVAL DATE

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

DEC 21 1979


DIVISION OF
OIL, GAS & MINING

T 9 S, R 22 E, S.L.B. & M.

PROJECT

BELCO PETROLEUM CORP.

Well location, # 1-5 FEDERAL,
located as shown in the SE 1/4 SE 1/4
Section 5, T 9 S, R 22 E, S.L.B. & M.
Uintah County, Utah.



X = Section Corners Located



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

Lawrence E. Kay
REGISTERED LAND SURVEYOR
REGISTRATION NO 3137
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q - 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	11 / 15 / 79
PARTY	R.K. D.B. S.B.	REFERENCES	GLO Plat
WEATHER	Clear & Cool	FILE	BELCO PETRO. CORP.

U. S. GEOLOGICAL SURVEY - CONSERVATION DIVISION

FROM: : DISTRICT GEOLOGIST, ME, SALT LAKE CITY, UTAH

TO : DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. U-41370

OPERATOR: Belco Petroleum

WELL NO. 1-5

LOCATION: NW 1/4 NE 1/4 SE 1/4 sec. 5, T. 9S, R. 22E, 31m

Uintah County, Utah

1. Stratigraphy: Uinta - surface

Green River - 1580

Mahogany Z. - 2740

Wasatch - 5130

2. Fresh Water: probable in Uintah fm. possible usable water near top and base of Green River fm.

3. Leasable Minerals:

oil shale in Green River fm.

4. Additional Logs Needed:

adequate

5. Potential Geologic Hazards:

slight overpressuring in basal 1000 feet, must wt. adequate

6. References and Remarks:

Signature: [Signature]

Date: 2-6-80

Oil and Gas Drilling

EA #173-80

United States Department of the Interior
Geological Survey
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

Usual Environmental Analysis

Lease No.: U-41370

Operator: Belco Petroleum

Well No.: 1-5

Location: 1249' FSL & 984' FEL

Sec.: 5

T.: 9S R.: 22E

County: Uintah

State: Utah

Field: CW-Wasatch

Status: Surface Ownership: Tribal

Minerals: Federal

Joint Field Inspection Date: February 12, 1980

Participants and Organizations:

Craig M. Hansen

USGS - Vernal, Utah

Dale Hanburg

BIA - Ft. Duchesne

Rich Schatz

Belco Petroleum

Ed Taylor

Belco Petroleum

Bud Pease

Dirt Contractor

Analysis Prepared by: Craig Hansen
Environmental Scientist
Vernal, Utah

Date: February 13, 1980

*Pad 160 x 325
Pit 100 x 150
2/10 mi x 32' new access
Prod fac on pad
Stockpile Topsoil
16/10 ac
Mitigates Pg 6
3) A.*

Proposed Action:

On January 28, 1980, Belco Petroleum filed an Application for Permit to Drill the No. 1-5 development well, an 7224 foot gas test of the Wasatch formation Tertiary In Age, located at an elevation of 4729 ft. in the SE 1/4 SE 1/4 Section 5-T9S-R22E on Federal mineral lands and Tribal surface, lease No. U-41370. There was no objection to the wellsite nor to the access road. ✓

A rotary rig would be used for the drilling. An adequate casing and cementing program is proposed. Fresh-water sands and other mineral-bearing formations would be protected. A Blowout Preventor would be used during the drilling of the well. The proposed pressure rating should be adequate. Details of the operator's NTL-6 10-Point Subsurface Plan are on file in the U.S.G.S. District Office in Salt Lake City, Utah and the U.S.G.S. Northern Rocky Mountain Area Office in Casper, Wyoming. The 13-Point Surface Protection Plan is on file in the District Office in Salt Lake City.

A working agreement has been reached with the Bureau of Indian Affairs Ft. Duchesne the controlling surface agency. Rehabilitation plans would be decided upon as well neared completion, the Surface Management Agency would be consulted for technical expertise on those arrangements.

The operator proposes to construct a drill pad 160 ft. wide x 325 ft. long and reserve a pit 100 ft. x 150 ft. A new access road would be constructed 2 1/10 mi x 32 ft. wide to the location from a maintained road. The operator proposes to construct production facilities on disturbed area of the proposed drill pad. If production is established, plans for a gas flow line would be submitted to the appropriate agencies for approval. The anticipated starting date is April 1980 and duration of drilling activities would be about 30 days.

Location and Natural Setting:

The proposed drillsite is approximately 13 miles southeast of Ouray, Utah, the nearest town. A poor road runs to the location. This well is in the CW-Wasatch field.

Topography:

The location is in a flat weathered valley of the Uintah formation there are no drainages or structures around or on the location.

Geology:

The surface geology is the Uintah formation Tertiary In Age.

The soil is, clay with well mixed gravels.

No geologic hazards are known near the drillsite.

Seismic risk for the area is moderate. Anticipated geologic tops are filed with the 10-Point Subsurface Protection Plan.

Approval of the proposed action would be conditioned that adequate and sufficient electric/radioactive/density logging surveys would be made to locate and identify any potential mineral resources. Production casing and cementing would be adjusted to assure no influence of the hydrocarbon zones through the well bore on these minerals. In the event the well is abandoned, cement plugs would be placed with drilling fluid in the hole to assure protection of any mineral resources.

The potential for loss of circulation would exist. Loss of circulation may result in the lowering of the mud levels, which might permit exposed upper formations to blow out or to cause formations to slough and stick to drill pipe. A loss of circulation would result in contamination due to the introduction of drilling muds, mud chemicals, filler materials, and water deep in to the permeable zone, fissures, fractures, and caverns within the formation in which fluid loss is occurring. The use of special drilling techniques, drilling muds, and lost circulation materials may be effective in controlling lost circulation.

A geologic review of the proposed action has been furnished by the Area Geologist, U. S. Geological Survey, Salt Lake City, Utah.

The operator's drilling, cementing, casing and blowout prevention programs have been reviewed by the Geological Survey Engineers and determined to be adequate.

Soils:

No detailed soil survey has been made of the project area. The top soils in the area range from a gravel to a clay soil. The soil is subject to runoff from rainfall and has a high runoff potential and sediment production would be high. The soils are mildly to moderately alkaline and support the salt-desert shrub community.

Top soil would be removed from the surface and stockpiled. The soil would be spread over the surface of disturbed areas when abandoned to aid in rehabilitation of the surface. Rehabilitation is necessary to prevent erosion and encroachment of undesired species on the disturbed areas. The operator proposes to rehabilitate the location and access road per the recommendations of the Bureau of Indian Affairs.

Approximately 1.6 acres of land would be stripped of vegetation. This would increase the erosional potential. Proper construction practice, construction of water bars, reseeding of slope-cut area would minimize this impact.

Air:

No specific data on air quality is available at the proposed location. There would be a minor increase in air pollution due to emissions from rig and support traffic engines. Particulate matter would increase due to dust from travel over unpaved dirt roads. The potential for increased air pollution due to leaks, spills, and fire would be possible.

Relatively heavy traffic would be anticipated during the drilling-operations phase, increasing dust levels and exhaust pollutants in the area. If the well was to be completed for production, traffic would be reduced substantially to a maintenance schedule with a corresponding decrease of dust levels and exhaust pollutants to minor levels. If the project results in a dry hole, all operations and impact from vehicular traffic would cease after abandonment. Due to the limited number of service vehicles and limited time span of their operation, the air quality would not be substantially reduced.

Toxic or noxious gases would not be anticipated.

Precipitation:

Annual rain fall should range from about 7" to 10" at the proposed location. The majority of the numerous drainages in the surrounding area are of a non-perennial nature flowing only during early spring runoff and during extremely heavy rain storms. This type of storm is rather uncommon as the normal annual precipitation is around 8".

Winds are medium and gusty, occurring predominately from west to east. Air mass inversions are rare. The climate is semi-arid with abundant sunshine, hot summers and cold winters with temperature variations on a daily and seasonal basis.

Surface Water Hydrology:

There is no apparent drainage on the location or surrounding the location. If heavy precipitation should occur the location would be subject to sheet type erosion and run off.

Some additional erosion would be expected in the area since surface vegetation would be removed. If erosion became serious, drainage systems such as water bars and dikes would be installed to minimize the problem. The proposed project should have minor impact on the surface water systems. The potentials for pollution would be present from leaks and spills. The operator is required to report and clean-up all spills or leaks.

Ground Water Hydrology:

Some minor pollution of ground water systems would occur with the introduction of drilling fluids (filtrate) into the aquifer. This is normal and unavoidable during rotary drilling operations. The potential for communication, contamination and comingling of formations via the well bore would be possible. The drilling program is designed to prevent this. There is need for more data on hydrologic systems in the area and the drilling of this well may provide some basic information as all shows of fresh water would be reported. Water production with the gas would require disposal of produced water per the requirements of NTL-2B. The depths of fresh water formations are listed in the 10-Point Subsurface Protection Plan. The pits would be unlined. If fresh water should be available from the well, the owner or surface agency may request completion as a water well if given approval.

Vegetation:

Annual weeds, rabbitbrush, grease wood, exist on the location.

Plants in the area are of the salt-desert-shrub types grading to the pinon-juniper association.

Proposed action would remove about 1.6 acres of vegetation. Removal of vegetation would increase the erosional potential and there would be a minor decrease in the amount of vegetation available for grazing.

The operator proposes to rehabilitate the surface upon completion of operations.

Wildlife:

The fauna of the area consists predominately of mule deer, coyotes, rabbits, foxes, and varieties of small ground squirrels and other types of rodents and various types or reptiles. The area is used by man for the primary purpose of grazing domestic livestock and sheep. The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

An animal and plant inventory has been made by the BIA. No endangered plants or animals are known to inhabit the project area.

Social-Economic Effect:

An on the ground surface archaeological reconnaissance would be required prior to approval of the proposed action. Appropriate clearances would then be obtained from the surface managing agency. If a historic artifact, an archaeological feature or site is discovered during construction operations, activity would cease until the extent, the scientific importance, and the method of mitigation the adverse effects could be determined by a qualified cultural resource specialist.

There are no occupied dwellings or other facilities of this nature in the general area. Minor distractions from aesthetics would occur over the lifetime of the project and is judged to be minor. All permanent facilities placed on the location would be painted a color to blend in with the natural environment. Present use of the area is grazing, recreation, and oil and gas activities.

Noise from the drilling operations may temporarily disturb wildlife and people in the area. Noise levels would be moderately high during drilling and completion operations. Upon completion, noise levels would be infrequent and significantly less. If the area is abandoned, noise levels should return to pre-drilling levels.

The site is visible from a major road. After drilling operations, completion equipment would be visible to passersby of the area but would not present a major intrusion.

The economic effect of one well would be difficult to determine. The overall effect of oil and gas drilling and production activity are significant in Uintah County, Utah.

But should this well discover a significant new hydrocarbon source, local, state and possibly national economics might be improved. In this instance, other development wells would be anticipated, with substantially greater environmental and economic impacts.

Should the wellsite be abandoned, surface rehabilitation would be done according to the surface agency's requirements and to USGS's satisfaction. This would involve leveling, contouring, reseeding, etc., of the location and possibly the access road. If the well should produce hydrocarbons, measures would be undertaken to protect wildlife and domestic stock from the production equipment.

There are no national, state, or local parks, forests, wildlife refuges or ranges, grasslands, monuments, trails or other formally designated recreational facilities near the proposed location.

Waste Disposal:

The mud and reserve pits would contain all fluids used during the drilling operations. A trash cage would be utilized for any solid wastes generated at the site and would be removed at the completion of the operations. Sewage would be handled according to State sanitary codes. For further information, see the 13-Point Surface Plan.

Alternative to the Proposed Action:


1). Not approving the proposed permit -- the oil and gas lease grants the lessee exclusive right to drill for, mine, extract, remove and dispose of all oil and gas deposits.


Under leasing provisions, the Geological Survey has an obligation to allow mineral development if the environmental consequences are not too severe or irreversible. Upon rehabilitation of the site, the environmental effects of this action would be substantially mitigated, if not totally annulled. Permanent damage to the surface and subsurface would be prevented as much as possible under U.S.G.S. and other controlling agencies supervision with rehabilitation planning reversing almost all effects. Additionally, the growing scarcity of oil and gas should be taken into consideration. Therefore, the alternative of not proceeding with the proposed action at this time is rejected.

2). Minor relocation of the wellsite and access road or any special, restrictive stipulations or modifications to the proposed program would not significantly reduce the environmental impact. There are no severe vegetation, animal or archaeological-historical-cultural conflicts at the site. Since only a minor impact on the environment would be expected, the alternative of moving the location is rejected. At abandonment, normal rehabilitation of the area such as contouring, reseeding, etc., would be undertaken with an eventual return to the present status as outlined in the 13-Point Surface Plan.



Be/co 1-5
Looking EAST

3). Drilling should be allowed provided the following mitigative measures are incorporated into the proposed APD and adhered to by the operator. 

A. A culvert 30 x 24" should be installed at access to major road to reduce erosion to road and proposed well site. 

Adverse Environmental Effects Which Cannot Be Avoided:

Surface disturbance and removal of vegetation from approximately 1.6 acres of land surface for the lifetime of the project which would result in increased and accelerated erosional potential. Grazing would be eliminated in the disturbed areas and there would be a minor and temporary disturbance of wildlife and livestock. Minor induced air pollution due to exhaust emissions from rig engines of support traffic engines would occur. Minor increase in dust pollution would occur due to vehicular traffic associated with the operation. If the well is a gas producer, additional surface disturbance would be required to install production pipelines. The potential for fires, gas leaks, and spills of oil and water would exist. During the construction and drilling phases of the project, noise levels would increase. Potential for sub-surface damage to fresh water aquifers and other geologic formations exists. Minor distractions from aesthetics during the lifetime of the project would exist. If the well is a producer, an irreplaceable commitment of resources would be made. Erosion from the site would eventually be carried as sediment in the White River. The potential for pollution to the White River would exist through leaks and spills.

Finding of No Significant Impact:


"We have considered the proposed Belco Petroleum #1-5 in the preceding pages of this EA and find, based on the analysis of environmental considerations provided therein, no evidence to indicate that it will significantly (40 CFR 1508.27) impact the quality of the human environment.

Determination:

"I determine that the proposed action (as modified by the recommended approval conditions) does not constitute a major Federal action significantly affecting the quality of the human environment in the sense of NEPA, Section 102(2)(C)."

3/26/80

Date



District Engineer
U. S. Geological Survey
Conservation Division
Oil and Gas Operations
Salt Lake City District

Submit in Triplicate

Rule 30 CFR 221.20 requires well shall not be drilled closer than 200 ft. from the lease boundary or 200 ft. from any legal sub-division without adequate reasons or consent.

District Oil and Gas Engineer
U. S. Geological Survey
Conservation Division
8440 Federal Building
Salt Lake City, Utah 84138

Re: Stipulation

Dear Sir:

BELCO PETROLEUM CORPORATION is the owner of U. S. Oil and Gas Lease Utah 9613, and proposes to drill a well on the leased premises to test for oil and gas at a location in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33, T. 8S, R. 21E, SLB Mer., Uintah County, State of Utah, 1152' from the west line and 951' from the north line of Section 33.

Section 221.20 of the Federal Oil and Gas Regulations requires that no well be drilled less than 200' from the boundary of any legal subdivision without the written consent of the Supervisor, United States Geological Survey. The proposed location is approximately 168' from the interior boundary line of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 33, but is considered to be necessary because of this location being the most favorable geologic location for oil development.

WELL NAME: STAGECOACH 19-33

Therefore, BELCO PETROLEUM CORPORATION, Lessee, requests the consent of the Supervisor to the drilling of the proposed well at the above-described location. In consideration of such consent, BELCO PETROLEUM CORPORATION, Lessee, hereby expressly covenants and agrees that he will make no separate assignments of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ and the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 33, T. 8S, R. 21E, SLB Mer., and that he will keep the two described subdivisions under joint assignment until the above-mentioned well has been plugged and abandoned with the approval of the Supervisor.

Very truly yours,

BELCO PETROLEUM CORPORATION

Leo R. Schueler

Leo R. Schueler
District Manager

cc: Houston
Denver
Vernal
File

Submit in Triplicate

Rule 30 CFR 221.20 requires well shall not be drilled closer than 200 ft. from the lease boundary or 200 ft. from any legal sub-division without adequate reasons or consent.

District Oil and Gas Engineer
U. S. Geological Survey
Conservation Division
8440 Federal Building
Salt Lake City, Utah 84138

Re: Stipulation

Dear Sir:

BELCO PETROLEUM CORPORATION is the owner of U. S. Oil and Gas Lease Utah 9613, and proposes to drill a well on the leased premises to test for oil and gas at a location in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33, T. 8S, R. 21E, SLB Mer., Uintah County, State of Utah, 1152' from the west line and 951' from the north line of Section 33.

Section 221.20 of the Federal Oil and Gas Regulations requires that no well be drilled less than 200' from the boundary of any legal subdivision without the written consent of the Supervisor, United States Geological Survey. The proposed location is approximately 168' from the interior boundary line of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 33, but is considered to be necessary because of this location being the most favorable geologic location for oil development.

WELL NAME: STAGECOACH 19-33

Therefore, BELCO PETROLEUM CORPORATION, Lessee, requests the consent of the Supervisor to the drilling of the proposed well at the above-described location. In consideration of such consent, BELCO PETROLEUM CORPORATION, Lessee, hereby expressly covenants and agrees that he will make no separate assignments of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ and the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 33, T. 8S, R. 21E, SLB Mer., and that he will keep the two described subdivisions under joint assignment until the above-mentioned well has been plugged and abandoned with the approval of the Supervisor.

Very truly yours,

BELCO PETROLEUM CORPORATION

Leo R. Schueler

Leo R. Schueler
District Manager

cc: Houston
Denver
Vernal
File

**** FILE NOTATIONS ****

DATE: 12/26/77

OPERATOR: Bilco

WELL No. Chapala Wells 1-5

LOCATION: SEC. 5 T. 9S R. 22E COUNTY Verona

FILE PREPARED: _____

ENTERED ON NID: _____

CARD INDEXED: _____

COMPLETION SHEET: _____

API NUMBER: 43-047-30661

CHECKED BY:

GEOLOGICAL ENGINEER: _____

PETROLEUM ENGINEER: _____

DIRECTOR: O.K. as per order in case 173-1 dtd 2/22/78

APPROVAL LETTER:

BOND REQUIRED: _____

SURVEY PLAT REQUIRED: _____

ORDER No. 173-1 2/22/78

O.K. RULE C-3 _____

RULE C-3(c), TOPOGRAPHIC EXCEPTION/COMPANY OWNS OR CONTROLS ACREAGE
WITHIN A 660' RADIUS OF PROPOSED SITE _____

LEASE DESIGNATION _____ PLOTTED ON MAP ✓

APPROVAL LETTER WRITTEN _____

h1
PI

December 26, 1979

Belco Petroleum Corporation
P.O. Box X
Vernal, Utah 84078

Insofar as this office is concerned, approval to drill Wells No. Stagecoach Unit 19-33, Sec. 33, T. 8 S., R. 21 E., Chapita Wells 1-4, Sec. 4, T. 9 S., R. 22 E., Chapita Wells 1-5, Sec. 5, T. 9 S., R. 22 E., Uintah County, Utah, is hereby granted in accordance with the Order issued in Cause No. 173-1 dated February 2, 1978.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify one of the following:

MICHAEL T. MINDER
Geological Engineer
Office: 533-5771
Home: 876-3001

CLEON B. FEIGHT
Director
Office: 533-5771
Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API numbers assigned to these wells are:

Stagecoach Unit 19-33	-	43-047-30657
Chapita Wells 1-4	-	43-047-30660
Chapita Wells 1-5	-	43-047-30661

Sincerely,

DIVISION OF OIL, GAS, AND MINING

Michael T. Minder
Geological Engineer

MTM.pj6
cc:

Belco Petroleum Corporation

Belco

March 7, 1980

Mr. Edgar W. Guynn
United States Geological Survey
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

RE: 200' Stipulation Letters

Dear Mr. Guynn:

Attached per your letter requests of February 7, 1980, and February 11, 1980, are stipulation letters on the following Uintah County, Utah well locations:

CHAPITA WELLS UNIT 1-5
SE SE Section 5, T9S, R22E

STAGECOACH 19-33
NW NW Section 33, T8S, R21E

Very truly yours,

BELCO PETROLEUM CORPORATION

ORIGINAL SIGNED BY
LEO R. SCHUELER

Leo R. Schueler
District Manager

MEC/rgt

Attachments

cc: ~~Utah Division of Oil, Gas & Mining~~
Houston
Denver
Vernal
File

RECEIVED

MAR 12 1980

DIVISION OF
OIL, GAS & MINING

BELCO DEVELOPMENT CORPORATION
DAILY DRILLING REPORT
Friday, March 13, 1981

VERNAL DISTRICT

DEVELOPMENT WELLS

NDC 42-25GR (DW-OIL)
North Duck Creek Field
Uintah County, Utah
TD 5728' Green River
Jacobs Rig #2
Belco WI 100%

5567' (167') 17. Drilling, Green River.
Drld 167' in 24 hrs.
Bit #3, 8 3/4", F-4, 3 16/32, 2212' in 208 1/4 hrs.
PP-500 WT-25 RPM-70
Mud prop: MW-9.2 VIS-30 WL-7.6 Chl-63,000
BG-150 CG-600
Drld Brks:
5454'-5457' (3') 9.0 5.0 8.0 400/200
90% SS, Gd Gld Flo & Gld cut
5487'-5492' (5') 9.0 4.0 13.0 500/300
100% SS, Gd Gld Flo & Gld cut
AFE (csg pt) \$198,000
CUM cost \$169,111

DC 4-17 (DW-GAS)
Duck Creek Field
Uintah County, Utah
TD 7331' Wasatch
Chandler & Assoc #1
Belco WI 100%

2924' (427') 8, circ, raise wt for trip, GR.
Drld 427' in 21 1/4 hrs, dev 2602', 2 1/4".
Bit #1, 8 3/4", FP-62, 3 16/32, made 2724' in
138 3/4 hrs.
PP-850 WT-45 RPM-62 BG-300 CG-670
Mud prop: MW-9.2 VIS-27 Chl-18,000
No drilling breaks.
AFE (csg pt) \$290,000
CUM cost \$109,949

RECEIVED

MAR 16 1981

NEW LOCATIONS

CWU 58-19 (DW-GAS)
Chapita Wells
Uintah County, Utah

Finish location.
CUM cost \$11,175

DIVISION OF
OIL, GAS & MINING

COMPLETIONS

ND 11-21GR (DW-OIL)
Natural Duck Unit
Uintah County, Utah
5057' PBTD Green River
Utah Well Service
Belco WI 100%

Report #7.
Complete running rods & flange up for production.
Open tbg to 400 bbl tank, SDFN.
ROD DETAIL:

10	1"
85	3/4"
63	7/8"
33	1"
1	1" x 8' PUP
1	1" x 6' PUP
1	1" x 4' PUP
	1 1/4" x 22' Polish Rod
	1 1/2" x 14' Liner

Pump Installed: F-54 2 1/2" x 1 1/2" x 12 x 16 BHD
w/10' stinger w/screen.

AFE (comp) \$504,000
CUM cost \$328,658

CW FED 1-5 (DW-GAS)
Chapita Wells
Uintah County, Utah
7067' PBTD Wasatch
Utah Well Service
Belco WI 100%

Report #7. Flow well @ 450 MCF 4 hrs, light mist.
Release Pkr, kill well, latch BP. TOH w/BP &
pkr. TIH to 2000' land tbg on donut. Shut well
in, will frac today.
AFE (comp) \$554,000
CUM cost \$380,822

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒GAS
WELL ☐

OTHER

SINGLE
ZONE ☒MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

BELCO PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface

1249' FSL & 984' FEL (SE SE)

At proposed prod. zone

SAME

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

984'

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

16. NO. OF ACRES IN LEASE

1224

19. PROPOSED DEPTH

7224

17. NO. OF ACRES ASSIGNED
TO THIS WELL

20. ROTARY OR CABLE TOOLS

ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4729' NAT GL

22. APPROX. DATE WORK WILL START

4/80

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9-5/8"	36.0# K-55	200'	200 SX
7-7/8"	4 1/2"	11.6# K-55	7224'	1000 SX

SURFACE FORMATION: Uinta

EST LOG TOPS: Green River 1584', Wasatch 5134'.

Anticipate water throughout the Uinta. Anticipate oil in the Green River 1584' and the Wasatch from 5134' to TD.

CASING DESIGN: New casing as described above. Surface casing will be set with a dry hole digger.

MINIMUM BOP: 10", 3000 psi hydraulic double gate BOP. Will test to 1000 psi prior to drilling surface plug and on each trip for bit.

MUD PROGRAM: A water-based gel-chemical mud weighted to 10.5 ppg will be used to control the well.

AUX. EQUIP: 2" 3000 psi choke manifold & kill line, kelly cock, stabbing valve and visual mud monitoring.

No cores or DST's are anticipated. Will run DIL, CNL-FDC-GR w/Caliper logs. A fracture treatment of ±15,000 gals ADC & ±15,000# sand is expected.


No abnormal pressures or problems are anticipated.

Operations will commence approx 4/80 and end approx 4/80.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED



TITLE

ENGINEERING CLERK

DATE

12/17/79

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

FOR

E. W. GUYNNE
DISTRICT ENGINEER

APPROVED BY

(ORIG. SCD) A. A. HENRICKS

TITLE


CONDITIONS OF APPROVAL, IF ANY:

JUN 6 1980

CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPYDIVISION OF
OIL, GAS & MINING
GAS IS SUBJECT TO REGULATION
DATED 1/1/80

NOTICE OF APPROVAL

Ut. STATE O&G



VERNAL DISTRICT

LOCATION STATUS

RECEIVED
JUN 25 1980

DIVISION OF
OIL, GAS & MINING

NBU	48-29B	WOCU	LOCATION BUILT
CWU	43-11	WOCU	LOCATION BUILT
			LOCATION BUILT
			LOCATION BUILT
			LOCATION BUILT, SURFACE SET
			APPROVED
			APPROVED
			APPROVED
			APPROVED
			APPROVED
			APPROVED
			APPROVED
			PERMISSION TO STAKE REQUESTED 6-4-80
			PERMISSION TO STAKE REQUESTED 6-4-80
			PERMISSION TO STAKE REQUESTED 6-4-80
			PERMISSION TO STAKE REQUESTED 6-4-80
DUCK CREEK	4-17		
	8-16GR		
	9-16GR		
	10-16GR		
	11-16GR		
	12-9 GR		
	13-17GR		
	17-16GR		
	18-16GR		
	19-16GR		
	20-9 GR		
	21-9 GR		
	22-9 GR		
	23-16GR		
	24-17GR		
	26-8		
NATURAL DUCK	6-15GR		APPROVED
	7-15GR		APPROVED
	9-15GR		APPROVED
	14-15GR		APPROVED
STAGECOACH	16-26		LOCATION BUILT
	17-25		APPROVED
	19-33		APPROVED
	20-7		WO USGS APPROVAL, APD SENT 12-17-79, INSP.3-11-80
	21-8		WO USGS APPROVAL, APD SENT 12-17-79, INSP.2-12-80
CWU FEDERAL	1-4		APPROVED
	1-5		WO USGS APPROVAL, APD SENT 12-17-79, INSP.2-12-80
CHAPITA WELLS	42-13		LOCATION BUILT, SURFACE SET
	49-25		WO USGS APPROVAL, APD SENT 5-15-80
	50-32		LOCATION APPROVED, WO BLM ACCESS ROAD APPROVAL
	51-32		LOCATION APPROVED, WO BLM ACCESS ROAD APPROVAL
	52-33		WO USGS APPROVAL, APD SENT 5-15-80
	53-33		WO USGS APPROVAL, APD SENT 5-15-80
	54-34		WO USGS APPROVAL, APD SENT 5-15-80
	55-20		PERMISSION TO STAKE REQUESTED 6-5-80
	56-29		PERMISSION TO STAKE REQUESTED 6-5-80
	57-29		PERMISSION TO STAKE REQUESTED 6-5-80
	58-19		PERMISSION TO STAKE REQUESTED 6-5-80
MMIT COUNTY	1-4		WO STATE APPROVAL, APD SENT 5-16-80

September 29, 1980

Belco Petroleum Corporation
P.O. Box X
Vernal, Utah 84078

RE: Well No. Duck Creek #12-9GR
Sec. 9, T. 9S, R. 20E.,
RE: Well No. Duck Creek #13-17GR
Sec. 13, T. 9S, R. 20E.,
RE: Well No. Chapita Wells 1-5
Sec. 5, T. 9S, R. 22E.,
Uintah County, Utah

Gentlemen:

In reference to above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,


DIVISION OF OIL, GAS, AND MINING

BARBARA HILL
CLERK TYPIST

/bjh

Belco Petroleum Corporation

Belco



OCT 6 1980

October 3, 1980

DIVISION OF
OIL, GAS & MINING

Ms. Barbara Hill
Department of Natural Resources
Division of Oil, Gas & Mining
1588 West North Temple
Salt Lake City, Utah 84116

RE: Duck Creek 12-9GR
Sec. 9, T9S, R20E

Duck Creek 13-17GR
Sec. 17, T9S, R20E


CWU Federal 1-5
Sec. 5, T9S, R22E
Uintah County, Utah

Dear Ms. Hill;

In answer to your letter of September 29, 1980 concerning the above referenced wells, both of the Duck Creek wells are included in our immediate drilling program. A spud notice for the Duck Creek 12-9GR should be forthcoming within the month, depending on the availability of a dry hole spudder.

On the Chapita Wells Federal 1-5, we did not receive the USGS approval for the APD until June 5, 1980. We are requesting that the State of Utah please extend its approval for this APD until June 5, 1981, also. Thank you.

Very truly yours,
BELCO PETROLEUM CORPORATION


Lonnie Nelson
Engineering Clerk

xc: file (3)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Form Approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ well ☐ other

2. NAME OF OPERATOR

BELCO PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 1249' FSL & 984' FEL SE $\frac{1}{4}$ SE $\frac{1}{4}$

AT SURFACE: N/A

AT TOP PROD. INTERVAL: N/A

AT TOTAL DEPTH: N/A

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

SUBSEQUENT REPORT OF:

(other) NOTICE OF SPUD

5. LEASE

U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

CHAPITA WELLS

9. WELL NO.

1-5 FEDERAL

10. FIELD OR WILDCAT NAME

CW*WASATCH

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA

SEC. 5, T9S, R22E

12. COUNTY OR PARISH

UINTAH

13. STATE

UTAH

14. API NO.

43-047-30661

15. ELEVATIONS (SHOW DF, KDB, AND WD)

4729' Natural GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

DATE & TIME SPUDDED: 1-17-81, 9:30 A.M.

SPUDDED BY: Allwestern Air Drilling

ROTARY RIG: Chandler & Assoc. #1 will MIRT approx. 9-5-81

Drld 12 $\frac{1}{4}$ " hole to 201', ran 5 jts 9 5/8" 36#, new K-55 Csg to 199'.
Cemented w/200 sx class "G" cement. Released Allwestern Air Drllg
1-19-81.

Report of Spud called in to Kim w/USGS in SLC, 1-20-81.

Subsurface Safety Valve: Manu. and Type

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Lonnie Nelson

TITLE Engineering Clerk

DATE

1-20-81

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF SPUD

Belco

Caller: Lonnie

Phone: _____

Well Number: 1-5 Fed

Location: SESE 5-9S-22E

County: UINTAH

State: DIVISION OF OIL, GAS & MINING

Lease Number: U-41370

Lease Expiration Date: _____

Unit Name (If Applicable): Chapita Shells

Date & Time Spudded: 1-17-81 9:30 A.M.

Dry Hole Spudder/Rotary: ALL WESTERN DRILLING

Details of Spud (Hole, Casing, Cement, etc.) 12 1/4" Hole to 201'
ran 5 jts of 9 5/8" 36# new K55 csg. to
199', cmt c 200 sxs of Class G released
rig 1-19-81

Rotary Rig Name & Number: Chandler & Assoc. #1

Approximate Date Rotary Moves In: 2-5-81

FOLLOW WITH SUNDRY NOTICE

Call Received By: K. R.

Date: 1-20-81

RECEIVED

JAN 22 1981

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐

2. NAME OF OPERATOR
BELCO PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL SE/SE
AT TOP PROD. INTERVAL: N/A
AT TOTAL DEPTH: N/A

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other) WELL STATUS	<input type="checkbox"/>		<input type="checkbox"/>

5. LEASE
U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SURFACE * UTE TRIBE

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
CHAPITA WELLS

9. WELL NO.
1-5 FEDERAL

10. FIELD OR WILDCAT NAME
CHAPITA WELLS

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SECTION 5, T9S, R22E

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

14. API NO.
43-047-30661

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' Natural GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 1-31-81:

Waiting on Rotary Tools.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE ENGINEERING CL DATE 2-2-81

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL SE/SE
AT TOP PROD. INTERVAL: N/A
AT TOTAL DEPTH: N/A

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <input type="checkbox"/>	<input type="checkbox"/>

WELL STATUS

5. LEASE
U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SURFACE*UTE TRIBE

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
CHAPITA WELLS

9. WELL NO.
1-5 FEDERAL

10. FIELD OR WILDCAT NAME
CHAPITA WELLS

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC. 5, T9S, R22E

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

14. API NO.
43-0430661

15. ELEVATION (SHOW DF, KDB, AND WD)
4729'

RECEIVED
DIVISION OF OIL & GAS
MAR 05 1981

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 2-28-81: DRILLING, DEPTH 7050', ANTICIPATED DEPTH 7104'

Chandler & Assoc #1, MI & RU 2-7-81. Drld 8 3/4" hole from 199' to 3889', drld 7 7/8" hole from 3889' to 7050'.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED L. K. Nelson TITLE Eng. Clerk DATE 3-3-81

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

16

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> Other _____				5. LEASE DESIGNATION AND SERIAL NO. U-41370	
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other _____				6. IF INDIAN, ALLOTTEE OR TRIBE NAME UTE TRIBE-SURFACE	
2. NAME OF OPERATOR BELCO DEVELOPMENT CORPORATION				7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR P. O. BOX X, VERNAL, UTAH 84078				8. FARM OR LEASE NAME CHAPITA WELLS	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1249' FSL & 984' FEL SE/SE At top prod. interval reported below SAME At total depth SAME				9. WELL NO. 1-5 FEDERAL	
14. PERMIT NO. 43-047-30661 DATE ISSUED 12-26-79				12. COUNTY OR PARISH UINTAH	
15. DATE SHUDDER 1-17-81 16. DATE T.D. REACHED 3-2-81 17. DATE COMPL. (Ready to prod.) 3-17-81				18. STATE UTAH	
18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 4729 GL 4741 KB				19. ELEV. CASINGHEAD 4731	
20. TOTAL DEPTH, MD & TVD 7108'		21. PLUG BACK T.D., MD & TVD 7076'		22. IF MULTIPLE COMPL., HOW MANY* N/A	
23. INTERVALS DRILLED BY All				24. ROTARY TOOLS NONE	
25. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* WASATCH 5893-6884'				26. WAS DIRECTIONAL SURVEY MADE NO	
27. TYPE ELECTRIC AND OTHER LOGS RUN CNL-FDL-GR w/caliper & DLL				28. WAS WELL CORED NO	
29. CASING RECORD (Report all strings set in well)					
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)	
9 5/8"		36#		199'	
4 1/2"		11.6#		7105.71'	
30. LINER RECORD					
SIZE		TOP (MD)		BOTTOM (MD)	
31. TUBING RECORD					
SIZE		DEPTH SET (MD)		PACKER SET (MD)	
2 3/8"		6909'			
32. PERFORATION RECORD (Interval, size and number)					
5893--95		6449-50			
6051-53		6527-29			
6280-82		6870-72			
6290-92		6883-84			
6441-42		TOTAL 42 holes			
33. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.					
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED			
5893-6884		40,990 gal tr fluid & 84,000# 20/40			
34. PRODUCTION					
DATE FIRST PRODUCTION 3-25-81		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing			WELL STATUS (Producing or shut-in) SI
DATE OF TEST 3-26-81		HOURS TESTED 24	CHOKE SIZE 6/64"	PROD'N. FOR TEST PERIOD 8 bbls cond.	OIL-BBL. 449
FLOW. TUBING PRESS. 625		CASING PRESSURE 700	CALCULATED 24-HOUR RATE 8 bbls cond.	GAS-MCF. 449	WATER-BBL. -0-
					GAS-OIL RATIO N/A
					OIL GRAVITY-API (CORR.) N/A
35. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented for test					
36. LIST OF ATTACHMENTS Rick Schatz					
37. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records					
SIGNED J. C. Ball		TITLE District Engineer		DATE 3-27-81	

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 33.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS				
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TOP	TRUE VERT. DEPTH
			<p>RECEIVED</p> <p>MAR 31 1981</p> <p>DIVISION OF OIL, GAS & MINING</p>	<p>Uinta</p> <p>Green River</p> <p>Wasatch</p> <p>CW zone</p> <p>BC zone</p>	<p>Surface</p> <p>1983'</p> <p>5107'</p> <p>5637'</p> <p>6197'</p>		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well ☐ gas ☒ well ☐ other ☐
2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION
3. ADDRESS OF OPERATOR
P. O. BOX X, VERNA, UTAH 84078
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL SE/SE
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) WELL STATUS <input type="checkbox"/>	<input type="checkbox"/>

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 4-30-81: Waiting on CIG for Tie-in.

Subsurface Safety Valve: Manu. and Type _____

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Lonnie Nelson TITLE ENG. CLERK DATE 5-1-81

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY: _____

5. LEASE
U-41370
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
CHAPITA WELLS
9. WELL NO.
1-5 FEDERAL
10. FIELD OR WILDCAT NAME
CHAPITA WELLS
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC. 5, T9S, R22E
12. COUNTY OR PARISH
UTAH
13. STATE
UTAH
14. API NO.
43-047-30661
15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' GB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION
3. ADDRESS OF OPERATOR
P. O. BOX X, VERNAL, UTAH 84078
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL SE/SE
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other) WELL STATUS			

5. LEASE
U-41370
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
CHAPITA WELLS
9. WELL NO.
1-5 Fed.
10. FIELD OR WILDCAT NAME
CHAPITA WELLS
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC. 5, T9S, R22E
12. COUNTY OR PARISH
UINTAH
13. STATE
UTAH
14. API NO.
43-047-30661
15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 5-31-81: SHUT IN, WAITING ON CIG FOR CONN TO SALES LINE.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED E. K. NELSON TITLE FOR J. C. BALL DATE 6-3-81
DISTRICT ENGINEER
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL SE $\frac{1}{4}$ SE $\frac{1}{4}$
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

(other) WELL STATUS

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐

5. LEASE
U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
CHAPITA WELLS

9. WELL NO.
1-5 FEDERAL

10. FIELD OR WILDCAT NAME
CHAPITA WELLS

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC. 5, T9S, R22E

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

14. API NO.
43-047-30661

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 6-30-81: Shut in, Waiting on CIG for connection to sales line.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Lonnie Nelson
Lonnie Nelson

TITLE FOR J. C. BALL DATE 7-1-81

DISTRICT ENGINEER

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
AUG 04 1981

P

SUNDRY NOTICES AND REPORTS ON WELL

(Do not use this form for proposals to drill or to deepen or plug back to a well in a reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL SE $\frac{1}{4}$ SE $\frac{1}{4}$
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)	WELL STATUS	

5. LEASE
17-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE*SURFACE

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
CHAPITA WELLS

9. WELL NO.
1-5 FEDERAL

10. FIELD OR WILDCAT NAME
CHAPITA WELLS

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC. 5, T9S, R22E

12. COUNTY OR PARISH
UTAH

13. STATE
UTAH

14. API NO.
43-047-30661

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 7-31-81: SHUT IN, WAITING ON CIG FOR CONNECTION TO SALES LINE.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED For J. C. BALL TITLE DISTRICT ENGINEER DATE 8-3-81

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL (SE₁/SE₁)
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) WELL STATUS <input type="checkbox"/>	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 9-15-81: SHUT IN WAITING ON CIG FOR CONNECTION TO SALES LINE.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Larry Krutson TITLE ENGINEERING CLERK DATE SEPT 16, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

5. LEASE
U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE

7. UNIT AGREEMENT NAME
CHAPITA WELLS UNIT

8. FARM OR LEASE NAME

9. WELL NO.
1-5 FEDERAL

10. FIELD OR WILDCAT NAME
CHAPITA WELLS FIELD

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA
SEC 5, T9S, R22E

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

14. API NO.
43-047-30661

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐
2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION
3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL (SE/SE)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) WELL STATUS		

5. LEASE
U-41370
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE
7. UNIT AGREEMENT NAME
CHAPITA WELLS UNIT
8. FARM OR LEASE NAME
9. WELL NO.
1-5 FEDERAL
10. FIELD OR WILDCAT NAME
CHAPITA WELLS FIELD
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC 5, T9S, R22E
12. COUNTY OR PARISH
UINTAH
13. STATE
UTAH
14. API NO.
43-047-30661
15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 10-15-81: SHUT IN WAITING ON CIG FOR CONNECTION TO SALES LINE.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Larry Krueger TITLE ENG CLERK DATE 10-15-81

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
well well
2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION
3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL (SE/SE)
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)	<input type="checkbox"/>	<input type="checkbox"/>

WELL STATUS REPORT

5. LEASE
U-41370
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE
7. UNIT AGREEMENT NAME
CHAPITA WELLS UNIT
8. FARM OR LEASE NAME
9. WELL NO.
1-5 FEDERAL
10. FIELD OR WILDCAT NAME
CHAPITA WELLS FIELD
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC 5, T9S, R22E
12. COUNTY OR PARISH
UINTAH
13. STATE
UTAH
14. API NO.
43-047-30661
15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 11-16-81: SHUT IN, WAITING ON CIG FOR CONNECTION TO SALES LINE.

Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED

Lathy Knutson

TITLE

ENG CLERK

DATE

11-16-81

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1249' FSL & 984' FEL

AT TOP PROD. INTERVAL: Same

AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other)

SUBSEQUENT REPORT OF:

WELL STATUS REPORT

5. LEASE U-41370	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME UTE TRIBE SURFACE	
7. UNIT AGREEMENT NAME CHAPITA WELLS UNIT	
8. FARM OR LEASE NAME	
9. WELL NO. 1-5 FEDERAL	
10. FIELD OR WILDCAT NAME CHAPITA WELLS FIELD	
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SEC 5, T9S, R22E	
12. COUNTY OR PARISH UINTAH	13. STATE UTAH
14. API NO. 43-047-3066	
15. ELEVATIONS (SHOW DF, KDB, AND WD) 4729' GL	

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 12-15-81: SHUT IN. WAITING ON CIG FOR CONNECTION TO SALES LINE.

Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED Kathy Knutson TITLE ENG CLERK DATE DEC 5, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well ☐ gas ☒ well ☐ other
2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION
3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

- REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:
- TEST WATER SHUT-OFF ☐ ☐
- FRACTURE TREAT ☐ ☐
- SHOOT OR ACIDIZE ☐ ☐
- REPAIR WELL ☐ ☐
- PULL OR ALTER CASING ☐ ☐
- MULTIPLE COMPLETE ☐ ☐
- CHANGE ZONES ☐ ☐
- ABANDON* ☐ ☐
- (other) WELL STATUS REPORT

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 1-15-82: SHUT IN, WAITING ON CIG FOR CONNECTION TO SALES LINE.

Subsurface Safety Valve: Manu. and Type

18. I hereby certify that the foregoing is true and correct

SIGNED Kathy Nielson TITLE ENG CLERK DATE 5-19-82

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

5. LEASE U-41370	6. IF INDIAN, ALLOTTEE OR TRIBE NAME UTE TRIBE SURFACE	7. UNIT AGREEMENT NAME CHAPITA WELLS UNIT	8. FARM OR LEASE NAME
9. WELL NO. 1-5 FEDERAL	10. FIELD OR WILDCAT NAME	11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA SEC 5, T9S, R22E	12. COUNTY OR PARISH UINTAH
13. STATE UTAH	14. API NO. 43-047-30661	15. ELEVATIONS (SHOW DE, KDB, AND WD) 4729'	

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SURVEY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-0 for such proposals.)

1. oil well ☐ gas well ☒ other ☐
2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION
3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF ☐ ☐
FRACTURE TREAT ☐ ☐
SHOOT OR ACIDIZE ☐ ☐
REPAIR WELL ☐ ☐
PULL OR ALTER CASING ☐ ☐
MULTIPLE COMPLETE ☐ ☐
CHANGE ZONES ☐ ☐
ABANDON* ☐ ☐
(other) WELL STATUS REPORT

5. LEASE
U-41370
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE
7. UNIT AGREEMENT NAME
CHAPITA WELLS UNIT
8. FARM OR LEASE NAME
9. WELL NO.
1-5 FEDERAL
10. FIELD OR WILDCAT NAME
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC 5, T9S, R22E
12. COUNTY OR PARISH
UINTAH
13. STATE
UTAH
14. API NO.
43-047-30661
15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 2-15-82: WELL SHUT IN. WAITING ON CONNECTION TO
CIG SALES LINE.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kathy Krutson TITLE ENG CLERK DATE FEB 15, 1982

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐ ☐

FRACTURE TREAT ☐ ☐

SHOOT OR ACIDIZE ☐ ☐

REPAIR WELL ☐ ☐

PULL OR ALTER CASING ☐ ☐

MULTIPLE COMPLETE ☐ ☐

CHANGE ZONES ☐ ☐

ABANDON* ☐ ☐

(other) WELL STATUS REPORT ☐ ☐

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 3-15-82: WELL SHUT IN WAITING ON CIG FOR CONNECTION TO SALES LINE.

Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED Kathy Knutson TITLE ENG CLERK DATE MARCH 15 1982

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: _____

Form Approved.
Budget Bureau No. 42-R1424

5. LEASE
U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE

7. UNIT AGREEMENT NAME
CHAPITA WELLS UNIT

8. FARM OR LEASE NAME

9. WELL NO.
1-5 FEDERAL

10. FIELD OR WILDCAT NAME

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA
SEC 5 T. 22 N. R. 9 E. M. 22

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

14. API NO.
43-0473066

15. ELEVATIONS (SHOW DEPTH OF KDB, AND WD)
4729'

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

Belco Development Corporation

Belco

March 15, 1982

Mr. E. W. Guynn-District Engineer
United States Geological Survey
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

RE: MONTHLY WELL STATUS REPORTS

Dear Sir,

Attached are the Monthly Well Status Reports for the following wells all located in Uintah County, Utah:

Stagecoach Unit 20-7	Natural Buttes 47-27B
Chapita Wells 59-18	Chapita Wells 56-29
Duck Creek 9-16GR	Duck Creek 31-16GR
Chapita Wells 1-4 Fed	Chapita Wells 1-5 Fed
Brennan Bottoms 1-15	Chapita Wells 52-33
East Bench 1-23 Fed	Duck Creek 60-29
Duck Creek 20-9GR	Duck Creek 4-17
Natural Buttes 39-28B	Natural Buttes State 1-32G (Copy to the State only)

Sincerely,

Kathy Knutson
Kathy Knutson
Engineering Clerk

/kk

attachments

cc: ~~Division~~ of Oil, Gas & Mining
GEN-Houston
File

RECEIVED
MAR 17 1982

DIVISION OF
OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well ☐ gas ☒ well ☐ other

2. NAME OF OPERATOR

BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR

P.O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1249' FSL & 984' FEL

AT TOP PROD. INTERVAL: Same

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) WELL STATUS REPORT

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 4-15-82: WELL SHUT IN. CIG WORKING ON SALES HOOKUP.

Subsurface Safety Valve: Manu. and Type

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kathy Krutson TITLE ENG CLERK

DATE APRIL 15, 1982

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

5. LEASE

U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

UTE TRIBE SURFACE

7. UNIT AGREEMENT NAME

CHAPITA WELLS UNIT

8. FARM OR LEASE NAME

9. WELL NO.

1-5 FEDERAL

10. FIELD OR WILDCAT NAME

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA

SEC 5, T9S, R22E

12. COUNTY OR PARISH

UINTAH

13. STATE

UTAH

14. API NO.

43-047-30661

15. ELEVATIONS (SHOW DE KDB AND WD)

4729' NAT GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
well well

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) WELL STATUS REPORT	

5. LEASE
U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE

7. UNIT AGREEMENT NAME
CHAPITA WELLS UNIT

8. FARM OR LEASE NAME

9. WELL NO.
1-5 FEDERAL

10. FIELD OR WILDCAT NAME

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC 5, T9S, R22E

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

14. API NO.
43-047-30661

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4729' NAT GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 5-15-82: WELL SHUT IN WAITING ON SALES HOOKUP

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED L. Knutson TITLE ENG CLERK DATE MAY 14, 1982

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P.O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1249' FSL & 984' FEL
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

SUBSEQUENT REPORT OF:

(other) WELL STATUS REPORT

5. LEASE

U-41370

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

UTE TRIBE SURFACE

7. UNIT AGREEMENT NAME

CHAPITA WELLS UNIT

8. FARM OR LEASE NAME

9. WELL NO.

1-5 FEDERAL

10. FIELD OR WILDCAT NAME

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

SEC 5, T9S, R22E

12. COUNTY OR PARISH

UINTAH

13. STATE

UTAH

14. API NO.

43-047-30661

15. ELEVATIONS (SHOW DF, KDB, AND WD)

4729' NAT GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STATUS 6-15-82: Initial production May 28, 1982, sold to CIG. 517 MCF, 8/64 ch, TP-2120, CP-2150, STAT 7.2, DIFF 3.5, 2 X 1 meter run, time on 2:15 p.m. This well will be reported on Monthly Production form 9.329 in the future.

Subsurface Safety Valve: Manu. and Type

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Kathy Kuntze

TITLE

ENG CLERK

DATE

June 15, 1982

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. U-41370
2. NAME OF OPERATOR BELCO DEVELOPMENT CORPORATION		6. IF INDIAN, ALLOTTEE OR TRIBE NAME UTE TRIBE SURFACE
3. ADDRESS OF OPERATOR P.O. BOX X, VERNAL, UTAH 84078		7. UNIT AGREEMENT NAME CHAPITA WELLS UNIT
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1249' FSL & 984' FEL		8. FARM OR LEASE NAME
14. PERMIT NO. 43-047-30661		9. WELL NO. 1-5 FEDERAL
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 4729' NGL		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SEC 5, T9S, R22E
		12. COUNTY OR PARISH UINTAH
		13. STATE UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) RESUMPTION OF OPERATIONS <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

THIS WELL WAS SHUT IN ON AUGUST 2, 1984 AND WAS RETURNED TO PRODUCTION ON NOVEMBER 2, 1984. ORAL NOTICE OF RESUMED OPERATIONS WAS CALLED TO THE BLM VERNAL DISTRICT OFFICE ON THIS DATE AS PER 3162.4-1(c).

18. I hereby certify that the foregoing is true and correct

SIGNED J. Ball

DISTRICT ENGINEER

DATE 11-2-84

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side

F.D. 5-15-82

STATE COPY

FORM CIG 896-7/73

COLORADO INTERSTATE GAS COMPANY

WELL TEST DATA FORM

WELL CODE 50-01-11			FIELD NAME NATURAL BUTTES 11T			OPERATOR CODE 0828			OPERATOR NAME BELCO DEVELOPMENT CORP.			WELL NAME FEDERAL 1-5																			
WELL CODE 3 33843			LOCATION TWNHP/BLK RGE/SUR. 5 9S 22E			PANHANDLE/REDCAVE SEQ. NUMBER K-FACTOR			FORMATION WASATCH SHA FLOW TEST																						
WELL ON (OPEN)			DATE (COMP.)			ORIFICE SIZE		METER RUN SIZE		COEFFICIENT		GRAVITY (SEP.)		METER DIFF. RANGE		METER PRESSURE		DIFFERENTIAL ROOTS		METER TEMP.		WELL HEAD TEMP.		FLOWING TBG/CSG PRESSURE		STATIC TBG/CSG PRESSURE		FLOWING STRING TUBING CASING			
MO.	DAY	YR.	MO.	DAY	YR.																										
11-12	13-14	15-16	17-18	19-20	21-22	23	27	28	32	33	38	39	42	43	45	46	51	52	55	56	58	59	61	62	67	68	73	74	75		
XX	XX	XX	XX	XX	XX	XX	XXX	XX	XXX	XXXXXX	X	X	XXX	XXX	XXX	XXXXXX	X	XX	XX	XXX	XXX	XXXXXX	X	XXXXXX	X	XXXXXX	X	X	X		
06	08	82	06	15	82	01	000	02	007	05	073	0	.610	100	005	60	0240	100		00820	0	00	151	0					X		
WELL-OFF (SHUT-IN)			SHUT-IN TEST			SLOPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)		EST CSG PRESS		EST TBG PRESS		TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT.													
			PRESSURE TAKEN			DATE		CASING PRESSURE (PSIG)		TUBING PRESSURE (PSIG)																					
MO.	DAY	YR.	MO.	DAY	YR.																										
11-12	13-14	15-16	17-18	19-20	21-22	23	28	29	34	35	38	39	44	45	49	50	53	54	55												
XX	XX	XX	XX	XX	XX	XXXXXX	X	XXXXXX	X	X	XXX	XX	XXXX	XXXXXX	XXXXXX	X	XXX	E	E												
06	15	82	06	18	82	01	715	0	01	529	0																				
METER STAMP			33843 01000			REMARKS: ESTIMATED DIFF AVERAGE																									

CIG:

OPERATOR:

COMMISSION:

COLORADO INTERSTATE GAS COMPANY
WELL TEST DATA FORM

STATE COPY

FIELD CODE 580-01-11			FIELD NAME NATURAL BUTTES, UT			OPERATOR CODE 0828		OPERATOR NAME BELCO DEVELOPMENT CORP			WELL NAME FEDERAL																				
WELL CODE 33843		LOCATION TWN/BLK 5		RGE/SUR. 9S		SEQ. NUMBER 22E		FORMATION WASATCH SA FLOW TEST																							
WELL ON (OPEN)			DATE (COMP.)			ORIFICE SIZE		METER RUN SIZE		COEFFICIENT		GRAVITY (SEP.)		METER DIFF. RANGE		METER PRESSURE		DIFFERENTIAL ROOTS		METER TEMP.		WELL HEAD TEMP.		FLOWING TBG/CSG PRESSURE		STATIC TBG/CSG PRESSURE		FLOWING STRING TUBING		FLOWING STRING CASING	
MO.	DAY	YR.	MO.	DAY	YR.	23	27	28	32	33	38	39	42	43	45	46	51	52	55	56	58	59	61	62	67	68	73	74	75		
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
06	01	83	06	10	83	00	500	067	012190	100	005470	03.00	086	00549	0007380	X															
WELL-OFF (SHUT-IN)			PRESSURE TAKEN			DATE		CASING PRESSURE (PSIG)		TUBING PRESSURE (PSIG)		SLOPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)		EST CSG PRESS		EST TBG PRESS		TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT.							
MO.	DAY	YR.	MO.	DAY	YR.	23	28	29	34	35	38	39	44	45	49	50	53	54	55												
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	E	E												
06	11	83	06	14	83	010910	009760			686	1	9950	6909																		
METER STAMP		33843		00500		REMARKS: EXTENDED 48 hrs. PRODUCER BOOSTED WELL THIS DAY TEST END ON 06-16-83																									

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions
verse side)

111910

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	5. LEASE DESIGNATION AND SERIAL NO. U-41368 & U41370
2. NAME OF OPERATOR BELCO DEVELOPMENT CORPORATION	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Tribe Surface
3. ADDRESS OF OPERATOR P. O. BOX 1815, VERNAL, UTAH 84078	7. UNIT AGREEMENT NAME Chapita Well Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1022' FWL & 2055' FNL 1249' FSL & 984' FEL	8. FARM OR LEASE NAME
14. PERMIT NO. 43-047-30660 & 1	9. WELL NO. See Below
15. ELEVATIONS (Show whether DF, HT, GR, etc.) 4761' NGL & 4729' NGL	10. FIELD AND POOL, OR WILDCAT
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 4, T9S, R22E & Sec 5
	12. COUNTY OR PARISH Uintah
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANE

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

THE WELLS LISTED BELOW WERE TURNED BACK TO PRODUCTION ON 11-09-86, SOME OF THESE WELLS MAY HAVE BEEN SI LONGER THAN 90 DAYS.

CW 1-4 Fed

CW 1-5 Fed

RECEIVED
NOV 17 1986

DIVISION OF
OIL, GAS & MINING

18. I hereby certify that the foregoing is true and correct.

SIGNED *J. Ball*

TITLE District Superintendent

DATE 11-14-86

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

ENRON
Oil & Gas Company

020930

P. O. Box 1188 Houston, Texas 77251-1188 (713) 853-6161

February 4, 1987

RECEIVED
FEB 06 1987

Ms. Tammy Searing
355 W. North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180

DIVISION OF
OIL, GAS & MINING

Dear Ms. Searing,

To confirm our recent telephone conversation, effective December 31, 1986 Belco Development Corporation was merged with Enron Oil & Gas Company, a Delaware Corporation, the surviving corporate entity (Utah State I.D. Number N0401). Please adjust your records to reflect such change.

Also, please find enclosed a copy of the 1987 Return for Assessment which lists wells in the state of Utah which Belco Development Corporation had an interest.

If you have any questions, you may call me at 713-853-5518.

Very truly yours,



John Thomas
Governmental Royalties & Taxes

ENCLOSURE

cc: Don Fox

ENRON
Oil & Gas Company

P.O. Box X, Vernal, Utah 84078, Telephone (801) 789-0790

February 16, 1987

State of Utah
Division of Oil, Gas & Mining
355 W. North Temple
Salt Lake City, Utah

RECEIVED
FEB 20 1987

Attention: Ron Firth

**DIVISION OF
OIL, GAS & MINING**

Dear Mr. Firth:

This is to advise that Enron Oil and Gas has acquired the assets of the following companies:

Belco Development Corporation
Belco Petroleum - North America, Inc.
BelNorth Energy Corporation
BelNorth Petroleum Corporation
FEC Offshore Inventory Company
Florida Exploration Company
HNG Exploration Company
HNG Fossil Fuels Company
HNG Oil Company
HNG Oil (Sumatra) Inc.
IN Holdings, Inc.
InterNorth Exploration and Production Division
Ocelot Oil Company
Smitheastern Exploration Company

It is requested that all leases and well names be changed to reflect the new names. A list of affected lease numbers and well names is attached. Also, the bonding should be transferred to Enron Oil and Gas. Enron Oil and Gas Company, A Delaware Corporation, is wholly owned by Enron Corporation.

It is requested that 90 days be granted to have all the wells signs changed.

Also, attached is legal evidence of this ownership. If there are any questions or other information is needed please contact J. C. Ball at 789-0790 in the Vernal Office.

Sincerely yours,



J. C. Ball
District Superintendent

JCB:jl

cc A. C. Morris
D. Weaver
File
J. C. Ball
D. Wright

Part of the Enron Group of Energy Companies

UTAH
NATURAL RESOURCES
Oil, Gas & Mining355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut
84180-1203. (801-538-5340)Page 9 of 10

MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

• BELCO DEVELOPMENT CORP
P O BOX X
VERNAL UT 84078
ATTN: CATHERINE ANDERSONUtah Account No. N0101Report Period (Month/Year) 1 / 87Amended Report ☐

Well Name API Number Entity Location	Producing Zone	Days Oper	Production Volume		
			Oil (BBL)	Gas (MSCF)	Water (BBL)
X CHAPITA WELL U 1-4 4304730660 05155 09S 22E 4	WSTC	✓			
X CHAPITA WELL U 1-5 4304730661 05160 09S 22E 5	WSTC	✓			
X CHAPITA WELL U 17 4304715062 05165 09S 22E 25	WSTC	✓			
X WHITE RIVER U 43-16 4304731354 05170 08S 22E 16	GRRV	✓			
X STAGECOACH 15-27 4304730604 05185 08S 21E 27	WSTC	✓			
X STAGECOACH 19-33 4304730657 05190 08S 21E 33	WSTC	✓			
X STAGECOACH 1 4715071 05195 08S 22E 32	WSTC	✓			
X STAGECOACH 2 4304715072 05200 08S 21E 28	WSTC	✓			
X STAGECOACH 5 4304715074 05210 09S 22E 17	WSTC	0	OK ON CARD REPORTED 0 PROD IN NOV		
X WESTBIT U 1 4301915047 05215 16S 25E 10	WSTC	✓			
X WESTBIT 2 4301915048 05220 16S 25E 9	WSTC	✓			
X NBU 14-30B 4304730295 05225 09S 21E 30	GRRV	✓			
X NBU 34Y 4304730509 05230 09S 20E (21)	GRRV	✓	OK ON CARD		
TOTAL					

Comments (attach separate sheet if necessary)

I have reviewed this report and certify the information to be accurate and complete.

Date

Telephone

Authorized signature

PLEASE COMPLETE FORMS IN BLACK INK

Page 2

cc: Bureau of Land Management - Utah
Bureau of Land Management - Colorado
Bureau of Land Management - New Mexico
State of Utah
State of Colorado
State of New Mexico

N



ENRON

OIL & GAS COMPANY

1801 California Street, Suite 3400 Denver, Colorado 80202-2634 (303) 293-2525

September 13, 1989

SEP 16 1989
DIVISION OF
OIL, GAS & MINING

State of Utah
Division of Oil, Gas and Mining
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, Utah 84180-1203

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 9-26-89
BY: [Signature]

Attention: Ms. Lisha Romero

RE: Application for Exception Well
Location
Proposed Recompletion of
Chapita Wells Federal #1-5
Township 9 South, Range 22 East
Section 5: SE/4SE/4
Uintah County, Utah

43-047-30401

Gentlemen:

Reference is made to The Oil and Gas Conservation General Rule R615-3-2 (Location and Siting of Wells) which, in the absence of special orders of the State of Utah Board of Oil, Gas and Mining establishing drilling units or authorizing different well density or location patterns for particular pools or parts thereof, prescribes that each oil and gas well shall be located in the center of a 40-acre quarter-quarter section with a tolerance of 200' in any direction from the center location (a "window" 400' square).

Enron Oil & Gas Company (Enron) currently owns and operates the Chapita Wells Federal #1-5 well, a Wasatch well located at 1249' FSL, 984' FEL (SE/4SE/4) of Section 5, Township 9 South, Range 22 East, Uintah County, Utah. Enron proposes and respectfully requests permission to recomplete the Chapita Wells Federal #1-5 well in the Green River formation even though such well is not a location at which an oil or gas well could be drilled (or recompleted) in compliance with the aforementioned General Rule R615-3-2.

The Chapita Wells Federal #1-5 has a potential pay zone from 4768' to 4777' in the Douglas Creek Member of the Tertiary Green River Formation. Enron refers to this zone as the "M"-8 zone. Mapping indicates the "M"-8 to consist of a complex system of discontinuous sands in fluvial channels which potentially contain stratigraphically trapped hydrocarbons. Because of the discontinuous nature of the sands, Enron does not wish to drill away from this control point, and a new well also could not be economically justified to develop this rather thin sand. The exception location is therefore requested.

State of Utah
Division of Oil, Gas and Mining
September 13, 1989
Page 2 of 2


Enclosed herewith, as Exhibit "A," is a plat which depicts the location at which an oil or gas well could be drilled (or recompleted) in the SE/4SE/4 of Section 5, Township 9 South, Range 22 East, Uintah County, Utah, in compliance with General Rule R615-3-2, the locations at which oil or gas wells could be drilled (or recompleted) in accordance with General Rule R615-3-2 directly or diagonally offsetting the proposed exception, and the location at which Enron requests permission to recomplete the Chapita Wells Federal #1-5 well. No Green River wells have been drilled at any of these locations.

Also enclosed is Exhibit "B," a land map which displays Enron's ownership of 100% of the record title and operating rights covering all depths underlying the SE/4 of Section 5, Township 9 South, Range 22 East, Uintah County, Utah, and other lands. As you can see, there are no other owners of lands within a 460' radius of the Chapita Wells Federal #1-5 well.

Enron respectfully requests the Division of Oil, Gas and Mining administratively grant this application for an exception well location at its earliest opportunity.

Yours very truly,

ENRON OIL & GAS COMPANY




Toni Lei Macko
Senior Landman

TLM/das
Enclosures
6079T

cc: R. Dean - Denver
D.C. Bowthorpe - Vernal

R. 22 E.



Location at which an oil or gas well could be drilled (or recompleted) in compliance with R615-3-2 (center of 40 acre quarter-quarter section with 200' tolerance, "window" 400' square)



Location at which oil or gas wells could be drilled (or recompleted) in accordance with R615-3-2 directly offsetting the proposed exception (center of 40 acre quarter-quarter sections with 200' tolerance, "window" 400' square)




Location at which applicant requests permission to recomplate the Chapita Wells Federal #1-5 well

Exhibit "A"

	ENRON OIL & GAS COMPANY		
	HOUSTON DENVER MIDLAND CORPUS CHRISTI		
	CHAPITA WELLS PROSPECT		
	UINTAH COUNTY, UTAH		
LAND MAP			
Application for			
Exception Well Location			
SCALE: 4" = 1 MILE			
DRAFTED BY RJP		DATED 9-15-89	LAND BY T.L. Macko
			DATE 9-89

R. 22 E.




**T.
9
S.**



ENRON FULL WORKING INTEREST



**Location at which applicant requests permission
to recompleate the Chapita Wells Federal #1-5**



460' radius of the Chapita Wells Federal #1-5

Exhibit "B"

	ENRON OIL & GAS COMPANY		
	<small>HOUSTON DENVER MIDLAND CORPUS CHRISTI</small>		
	CHAPITA WELLS PROSPECT		
	UINTAH COUNTY, UTAH		
	LAND MAP		
Application for Exception Well Location			
<small>SCALE: 4" = 1 MILE</small>			
<small>DRAFTED BY</small>	<small>DATE</small>	<small>LAND BY</small>	
<small>RJP</small>	<small>9-13-89</small>	<small>T.L. Macko</small>	
		<small>DATE</small>	
		<small>9-89</small>	

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		1. LEASE DESIGNATION & SERIAL NO.	
		UTAH 41370	
2. NAME OF OPERATOR ENRON OIL & GAS COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P.O. BOX 250, BIG PINEY, WYOMING 83113		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1249' FSL - 984' FEL (SE SE) At proposed prod. zone		8. FARM OR LEASE NAME CHAPITA WELLS FEDERAL	
14. API NO. 43-047-30660		9. WELL NO. 1-5	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4729' NAT. GL.		10. FIELD AND POOL, OR WILDCAT CHAPITA WELLS/WASATCH	
		11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA SECTION 5, T9S, R22E	
		12. COUNTY UINTAH	13. STATE UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input checked="" type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	
(Other) _____		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
APPROX. DATE WORK WILL START _____		DATE OF COMPLETION _____	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Enron requests approval for Rule R615-3-22. Attached is Exhibit "A" showing the location of all wells on contiguous oil and gas leases or drilling units overlying the pool.

Enron proposes to RIH with CIBP and set @ + 4950'. Then dump 1 sx cement on top of CIBP. Then perforate the Green River Formation @ 4768-76' w/2 JSPF. Frac w/26,000 gals of 30# X-L gelled 3% KCl water and 42,000# of 20/40 sand. Swab test well. Install production equipment and put well on production.

* Must be accompanied by a cement verification report.

OIL AND GAS	
DRN	RJF
JRB ✓	GLH
DTS	SLS
2-TAS	
3- MICROFILM	

18. I hereby certify that the foregoing is true and correct

SIGNED Katy Carlson TITLE REGULATORY ANALYST FILE DATE 11/1/89

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____

CONDITIONS OF APPROVAL, IF ANY: _____

DATE: 11-14-89

John R. Bay

(November 1983)
(Formerly 9-331)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other Instructions on reverse side)

Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	5. LEASE DESIGNATION AND SERIAL NO. UTAH 41370
2. NAME OF OPERATOR ENRON OIL & GAS COMPANY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. BOX 250, BIG PINEY, WYOMING 83113	7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1249' FSL - 984' FEL (SE SE)	8. FARM OR LEASE NAME CHAPITA WELLS FEDERAL
9. PERMIT NO.	9. WELL NO. 1-5
10. ELEVATIONS (Show whether OF, RT, CR, etc.) 4729' NAT. GL.	10. FIELD AND POOL, OR WILDCAT CHAPITA WELLS/WASATCH
	11. SEC., T., R., M., OR BLE. AND SUBST. OR AREA SECTION 5, T9S, R22E
	12. COUNTY OR PARISH UINTAH
	13. STATE UTAH

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input checked="" type="checkbox"/>	MULTIPLE COMPLETION	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details and give pertinent data, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Enron proposes to RIH with CIBP and set @ +4950'. Then dump 1 sx cement on top of CIBP. Then perforate the Green River Formation @ 4768-76' w/2 JSPP. Frac w/26,000 gals 30# X-L gelled, 3% KCl water and 42,000# of 20/40 sand. Swab test well. Install production equipment and put well on production.

18. I hereby certify that the foregoing is true and correct

SIGNED Lady Carlson

TITLE REGULATORY ANALYST

DATE 11/1/89

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations or to any such person within its jurisdiction.

ENRON
OIL & GAS COMPANY

P.O. Box 250 Big Piney, Wyoming 83113 (307)276-3331

RECEIVED
NOV 03 1989

DIVISION OF
OIL, GAS & MINING

November 1, 1989

Mr. David E. Little
Bureau Of Land Management
Vernal District
170 South 500 East
Vernal, Utah 84078

RE: NATURAL BUTTES UNIT 27-1B
LEASE: U 02270 A
SECTION 1, T10S, R20E
CHAPITA WELLS FEDERAL 1-5
LEASE: U 41370
SECTION 5, T9S, R22E
UINTAH COUNTY, UTAH


Dear Mr. Little:

Attached are the Sundry Notices for perforating and stimulating the Green River Formation for the referenced wells.

If further information is required regarding this matter, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY


Darrell E. Zlomke
District Manager

kc

Attachments

cc: Utah Board of Oil, Gas and Mining
D. Weaver
R. Dean
Vernal Office
File

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE
(Other Instructions)
Form 3160-5

Budget Bureau No. 1004-D135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON

(Do not use this form for proposals to drill or to deepen or plug back to a reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

NOV 08 1989

RECEIVED

LEADS DESIGNATION AND SERIAL NO.
U 41370
INDIAN ALLOTTEE OR TRIBE NAME
THE TRIBE SURFACE

OIL WELL ☐ GAS WELL ☒ OTHER ☐

2 NAME OF OPERATOR

ENRON OIL & GAS COMPANY

(Enron Oil/Gas)

DIVISION OF
OIL, GAS & MINING

3 ADDRESS OF OPERATOR

P. O. BOX 1815

VERNAL, UTAH 84078

801-789-0790

4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below)
At surface

1249' FSL & 984' FEL (SE/SE)

14 PERMIT NO.

43 047 30661

15 ELEVATIONS (Show whether DT, ST, OR, etc.)

4729' NGL

UNIT AGREEMENT NAME

CHAPITA WELL UNIT

8 NAME OF LEASE NAME

9 WELL NO.

CW FED 1-5

10 FIELD AND POOL, OR WILDCAT

11 SEC., T., R., N., OR S.W., AND
SUBDIVISION OF AREA

SEC 5, T9S, R22E

12 COUNTY OR PARISH

UINTAH

13 STATE

UTAH

16

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANT ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

THIS WELL WAS TURNED BACK TO PRODUCTION 11-4-89 AFTER BEING SHUT IN OVER NINETY DAYS.

OIL AND GAS	
DRN	RJF
JRB	GLH
DTS	SLS
1. TAG	
2	MICROFILM
3	FILE

18. I hereby certify that the foregoing is true and correct

SIGNED Linda L. Wall

TITLE SR. ADMIN. CLERK

DATE 11-9-89

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

☒ Well File C.W. 1-5 Std.

☒ Suspense

☐ Other

(Location) Sec 5 Twp 95 Rng 22E

(Return Date) 12/15/89

(API No.) 43 047-30661

(To - Initials) TAS/AWS

1. Date of Phone Call: 11-21-89 Time: 3:00 PM

2. DOGM Employee (name) Arlene Solis (Initiated Call ☒
Talked to:

Name Joni Marks / Denver (Initiated Call ☐ - Phone No. (303) 293-2525
of (Company/Organization) Enron Oil & Gas

3. Topic of Conversation: Recompletion of the green river formation.

4. Highlights of Conversation: I was informed that
the recompletion will take place the week of
11/27/89. This well was turned back to
producing from the Waiatch formation on 11/4/89.

ENRON
Oil & Gas Company

P.O. Box 1815 Vernal, UT 84078 (801) 789-0790

RECEIVED
DEC 18 1989

December 13, 1989

DIVISION OF
OIL, GAS & MINING

BLM
Vernal District
170 South 500 East
Vernal, Utah 84078

Attn: Mr. Greg Darlington


Subject: Natural Buttes 27-1B
Chapita Wells Fed. 1-5

Dear Mr. Darlington:

Attached are Sundry Notices and revised Wellsite Diagrams for the subject wells for Disposal Pit changes.

If further information is needed, please call this office.

Very truly yours,



George McBride
Production Foreman

GM/lw
0852mm/

cc: File
Utah Division of Oil Gas & Mining

OIL AND GAS	
DRN	RJF
JRB	1. GLH ✓
DTS	SLS
2-TAS ✓	
3.	MICROFILM ✓
4.	FILE ✓

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE
(Other instructions on re-
verse side)

SECRET OFFICE NO. 1004-0135
Expires August 31, 1985

6. LEASE DESIGNATION AND SERIAL NO
U-41370

8. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

9. FARM OR LEASE NAME

Chapita Wells Federal

10. WELL NO.

1-5

11. FIELD AND POOL, OR WILDCAT

Chapita Wells/Wasatch

12. SEC., T., R., M., OR B.L. AND
SURVEY OR AREA

Sec. 5, T9S, R22E

13. COUNTY OR PARISH

Uintah

14. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug wells. Use "APPLICATION FOR PERMIT" for such purposes.)

RECEIVED
DEC 18 1989

OIL WELL ☐ GAS WELL ☒ OTHER ☐

1. NAME OF OPERATOR

Enron Oil & Gas Co.

2. ADDRESS OF OPERATOR

P. O. Box 1815, Vernal, Utah 84078

3. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)

At surface

1,249' FSL & 924' FEL SE/SE

14. PERMIT NO.

43-047-30661

15. ELEVATIONS (Show whether DT, RT, GR, etc.)

4,729'

10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANE

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Second Disposal Pit

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Enron Oil & Gas Co. is requesting approval for a second 8' X 10' disposal pit per NTL-2B Qualifications. (Section IV-4). Revised well site diagram attached.

Accepted by the State
of Utah Division of
Oil, Gas and Mining

Date:

By:

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE


CONDITIONS OF APPROVAL, IF ANY:

Federal Approval of this
Action is Necessary

*See Instructions on Reverse Side

WELL SITE DIAGRAM

ENRON OIL & GAS CO.
 CHAPITA WELLS FEDERAL 1-
 SE/SE Sec, 5, T9S, R22E
 Uintah County, Utah
 Federal Lease # U-41370



ENRON
OIL & GAS COMPANY

P.O. Box 250 Big Piney, Wyoming 83113 (307)276-3331

RECEIVED
DEC 20 1989

DIVISION OF
OIL, GAS & MINING

December 15, 1989

Mr. David E. Little
Bureau Of Land Management
Vernal District
170 South 500 East
Vernal, Utah 84078

RE: NATURAL BUTTES UNIT 27-1 B
LEASE: U 02270 A
SECTION 1, T10S, R20E
CHARITA WELLS FEDERAL 1-5
LEASE: U 41370
SECTION 5, T9S, R22E
UINTAH COUNTY, UTAH

Dear Mr. Little:

Attached are the Well Completion Report and Sundry Notices for the referenced wells.

If further information is required regarding this matter, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY

Darrell E. Zlonke
Darrell E. Zlonke
District Manager

kc

Attachments

cc: Utah Board of Oil, Gas and Mining
D. Weaver
R. Dean
Vernal Office
File

OIL AND GAS	
DRN	RIF
JRB	GLH
DTS	SLS
U-LCR	
I-TAS	
3	MICROFILM
4	FILE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	DRY <input type="checkbox"/>	Other _____		
b. TYPE OF COMPLETION:		NEW WELL <input type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR. <input checked="" type="checkbox"/>	Other _____
2. NAME OF OPERATOR ENRON OIL & GAS COMPANY						7. UNIT AGREEMENT NAME CHAPITA WELLS FEDERAL	
3. ADDRESS OF OPERATOR P.O. BOX 250, BIG PINEY, WYOMING 83113						8. FARM OR LEASE NAME CHAPITA WELLS FEDERAL	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1249' FSL - 984' FEL (SE SE) At top prod. interval reported below SAME At total depth SAME						9. WELL NO. 1-5	
14. PERMIT NO. 43-047-30661						DATE ISSUED 12/27/79	
15. DATE SPUDDED 1/17/81		16. DATE T.D. REACHED 3/2/81		17. DATE COMPL. (Ready to prod.) 3/17/81		18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 4729' NAT. GL.	
20. TOTAL DEPTH, MD & TVD 7108'		21. PLUG, BACK T.D., MD & TVD 7076'		22. IF MULTIPLE COMPL., HOW MANY* -----		23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4768-76' GREEN RIVER						25. WAS DIRECTIONAL SURVEY MADE NO	
26. TYPE ELECTRIC AND OTHER LOGS RUN GR-CNL-FLD, DALIPER, GR-CBL						27. WAS WELL CORRED NO	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE	
9-5/8"		36.0# K-55		199'		200 sx Class "G" Cement	
4-1/2"		11.6# K-55		7105.71'		1950 sx 50-50 Pozmix	
29. LINER RECORD							
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*	
30. TUBING RECORD							
SIZE		DEPTH SET (MD)		PACKER SET (MD)			
2-3/8"		6909'					
31. PERFORATION RECORD (Interval, size and number)							
CIBP @ 4965' 4768-76'							
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.							
DEPTH INTERVAL (MD)				AMOUNT AND KIND OF MATERIAL USED			
4768-76				w/9000 gals YF-140, 17,000 gals			
YF-130, J-218, RFA-330, M-26, L-55, L-10, J-221,							
5000# 100 mesh sand & 42,000# 20/40 sand.							
Maximum pressure 3421 psig.							
33. PRODUCTION							
DATE FIRST PRODUCTION 12/04/89		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) FLOWING				WELL STATUS (Producing or shut-in) PRODUCING	
DATE OF TEST 12/15/89		HOURS TESTED 24		CHOKE SIZE 15/64"		PROD'N. FOR TEST PERIOD OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO	
1100 psig		1275 psig		CALCULATED 24-HOUR RATE OIL—BBL. GAS—MCF. WATER—BBL. OIL GRAVITY-API (CORR.)			
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) SOLD						TEST WITNESSED BY GEORGE McBRIDE	
35. LIST OF ATTACHMENTS							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED <i>Katy Carlson</i>		TITLE REGULATORY ANALYST				DATE 12/15/89	

*(See Instructions and Spaces for Additional Data on Reverse Side)

(November 1983)

(Formerly 8-331)

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN **DUPLICATE***

(Other instructions on reverse side)

Form approved.

Budget Bureau No. 1004-0135

Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. U 41370	
2. NAME OF OPERATOR ENRON OIL & GAS COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P.O. BOX 250, BIG PINEY, WY 83113		7. UNIT AGREEMENT NAME CHAPITA WELLS FEDERAL	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1249' FSL - 984' FEL (SE SE)		8. FARM OR LEASE NAME CHAPITA WELLS FEDERAL	
14. PERMIT NO. 43-047-30661		9. WELL NO. 1-5	
15. ELEVATIONS (show whether DF, RY, GR, etc.) 4729' NAT. GL.		10. FIELD AND POOL OR WILDCAT CHAPITA WELLS/GREEN RIVER	
		11. SEC., T., R., M., OR BLK, AND SURVEY OR AREA SECTION 5, T9S, R22E	
		12. COUNTY OR PARISH UINTAH	13. STATE UTAH

16. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(OTHER) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion of Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

*TIH w/CIBP and set @ 4965'. Dumped 3 sx cement on top of CIBP.
Perforated the Green River Formation @ 4768-76' w/3-1/8" maximum charge casing gun. Fraced w/9000 gals YF-140, 17,000 gals YF-130, J-218, FFA-380, M-26, L-55 L-10, J-221, 5000# 100 mesh sand and 42,000# of 20/40 sand. Maximum pressure 3421 psig. Flow tested well. Installed production equipment and put well on production, 12/4/89.*

18. I hereby certify that the foregoing is true and correct.

SIGNED *Late Carlson* TITLE REGULATORY ANALYST DATE 12/18/89
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DEC 22 1989

OPERATOR ENRON OIL & GAS COMPANYOPERATOR ACCT. NO. N 0401ADDRESS P. O. BOX 1815VERNAL, UTAH 84078

DIVISION OF

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
D	02900	11048	43 047 30361	NATURAL BUTTES 23-19B	SE/NE	19	10S	21E	UINTAH	5-5-78	12-15-89
WELL 1 COMMENTS: RECOMPLETED FROM WASATCH TO GREEN RIVER <i>State Lease Field - Natural Buttes (change entity from 2900 to 11048, operator from Coastal to Enron/ Unit - Natural Buttes / waste Prod. Only / Coastal Oil & Gas - Unit Operator No. 230 BREV zone only 1-5-90 LCR</i>											
ff D	05160	11050	43 047 30661	CHAPITA FED 1-5	SE/SE	5	9S	22E	UINTAH	1-17-81	12-4-89
WELL 2 COMMENTS: RECOMPLETED FROM WASATCH TO GREEN RIVER <i>Federal Lease Field - Natural Buttes (change entity from 5160 to 11050, BREV zone only) Unit - N/A No operator change on this well. No longer applies to Cause No. 173-1. Now General State. 1-5-90 LCR</i>											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

Signature Carol HatchPRODUCTION ANALYST 12-19-89
Title _____ Date _____Phone No. (801) 789 0790

ENRON
Oil & Gas Company

P.O. Box 1815 Vernal, UT 84078 (801) 789-0790

RECEIVED
JAN 23 1991

January 18, 1991

**DIVISION OF
OIL, GAS & MINING**

Bureau of Land Management
Vernal District
170 South 500 East
Vernal, Utah 84078

RE: Chapita Wells Federal 1-5
Sec. 5, T9S, R22E
Uintah County, Utah
Federal Lease No. U-41370


Attn: Mr. Greg Darlington:

Dear Greg:

Attached is a Sundry Notices on the subject well explaining the produced water disposal method.

If you have further questions, please contact me at this office.

Very truly yours,



George R. McBride
Production Foreman

lw
0984mm

cc: ~~Division of Oil, Gas & Mining~~
Big Piney Office
File

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

UNITED STATES DEPARTMENT OF THE INTERIOR
(Other Instructions on Reverse Side)

Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(This form is to be used for proposals to drill or to complete or plug back to a different formation.
Use APPLICATION FOR PERMIT for such proposals.)

1. NAME OF OPERATOR ENRON OIL & GAS COMPANY		2. LEASE DESIGNATION AND SERIAL # U-41370	
3. ADDRESS OF OPERATOR P.O. BOX 1815, VERNAL, UTAH 84078		3. IF LEASE ALLOTTED OR TRUST NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface: 1249' FSL & 924' FEL SE/SE		7. UNIT AGREEMENT NAME	
5. PERMIT NO. 43-047-30661 PGW		8. NAME OF LEASE NAME Chapita Wells Federal	
6. ELEVATIONS (Show whether DT, ST, OR, etc.) 4729'		9. WELL NO. 1-5	
		10. FIELD AND POOL, OR WILDCAT Chapita Wells/Wasatch	
		11. SEC., T., R., N., OR BLK. AND SURVEY OR ALLOT. Sec. 5, T9S, R22E	
		12. COUNTY OR PARISH Uintah	13. STATE Utah

14. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACURE TREAT	<input type="checkbox"/>	FRACURE TREATMENT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	SHOOTING OF ACIDIZING	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other) <u>Water Disposal</u>	<input checked="" type="checkbox"/>
(Other)	<input type="checkbox"/>	(NOTE: Report results of multiple completion or Well Completion or Recompletion Report and Log form.)	
15. BRIEF PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)			

Enron Oil & Gas Company states that the produced water from subject well is being trucked to a storage facility and then trucked to a State approved disposal site.

RECEIVED
JAN 23 1991
DIVISION OF
OIL, GAS & MINING

16. I hereby certify that the foregoing is true and correct

SIGNED Linda L. Wall TITLE Sr. Admin. Clerk DATE 1/18/91

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

ENRON
OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

June 16 1993

Bureau of Land Management
Vernal District
170 South 500 East
Vernal, Utah 84078

RE: CHAPITA WELLS FEDERAL 1-5
SEC. 5, T9S, R22E
UINTAH COUNTY, UTAH


Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached 3 (three) Sundry Notices requesting approval for water disposal method.

If you have any questions or need additional information, please contact this office.

Very truly yours,
ENRON OIL & GAS COMPANY



George R. McBride
Sr. Production Foreman

cc: Division of Oil Gas & Mining
Curt Parsons
Doug Weaver/Toni Miller
Suzanne Saldivar - Houston EB-2369
Diane Cross - Houston EB-2370
File

/lwSundry

RECEIVED

JUN 21 1993

DIVISION OF
OIL GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
U-41370

6. If Indian, Allottee or Tribe Name
UTE TRIBAL SURFACE

7. If Unit or CA, Agreement Designation

8. Well Name and No.
CW FEDERAL 1-5

9. API Well No.
43-047-30661

10. Field and Pool, or Exploratory Area
CW/WASATCH

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

ENRON OIL & GAS COMPANY

3. Address and Telephone No.

P.O. BOX 1815, VERNAL, UTAH 84078 (801) 789-0790

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1249' FSL & 984' FWL SE/SE
SEC. 5, T9S, R22E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☒ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Enron Oil & Gas Company requests approval to dispose of produced water from the subject well as follows:

1. Store in above ground tank.
2. Transport by truck to Enron Oil & Gas Company's Natural Buttes 21-20 SWD Plant.

Accepted by the State
of Utah Division of
Oil, Gas and Mining

Date: 6-28-93

By: [Signature]

RECEIVED

JUN 21 1993

DIVISION OF
OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title Sr. Admin. Clerk

Date 6/16/93

(This space for Federal or State office use)

Approved by Federal Approval of this

Conditions of approval, if any: Action is Necessary

Title _____

Date _____


UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or recut to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals.

SUBMIT IN TRIPLICATE



FOR APPROVED

Bureau No. 1004-0135

Expires September 30, 1990

5. Lease Designation and Serial No.

U-1370

6. If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

7. U-Unit or C.A., Agreement Designation

CHAPITA WELLS UNIT

8. Well Name and No.

CHAPITA WELLS FEDERAL 1-5

9. API Well No.

43-047-30661

10. Field and Pool or Exploratory Area

CHAPITA/WASATCH

11. COUNTY STATE

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT	<input type="checkbox"/> ABANDONMENT	<input type="checkbox"/> CHANGE OF PLANS
<input checked="" type="checkbox"/> SUBSEQUENT REPORT	<input type="checkbox"/> RECOMPLETION	<input type="checkbox"/> NEW CONSTRUCTION
<input type="checkbox"/> FINAL ABANDONMENT NOTICE	<input type="checkbox"/> PLUGGING BACK	<input type="checkbox"/> NON-ROUTINE FRACTURING
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> ALTERING CASING	<input type="checkbox"/> CONVERSION TO INJECTION
	<input checked="" type="checkbox"/> OTHER	<input type="checkbox"/> SHUT-IN

(Note: Report results of multiple completion on Well Completions or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

The referenced well was shut-in on December 6, 1994. Enron Oil & Gas Company plans to leave the well shut-in pending a review of workover potential or improved economics.

Accepted by the
Utah Division of
Oil, Gas and Mining

FOR RECORD ONLY

Phase see R649-3-36

14. I hereby certify that the foregoing is true and correct

SIGNED

Doty Carlson

TITLE Regulatory Analyst

DATE 3-1-95


(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

FORM APPROVED

Bureau No. 1004-0135

Expires September 30, 1990

5. Lease Designation and Serial No.

U 41370

6. If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

7. If Unit or C.A., Agreement Designation

CHAPITA WELLS UNIT

8. Well Name and No.

CHAPITA WELLS UNIT 1-5

9. API Well No.

43-047-30661

10. Field and Pool or Exploratory Area

CHAPITA WELLS/WASATCH

11. COUNTY

UINTAH,

STATE

UTAH

1. Type of Well

Oil

Gas

☐

WELL

☒

Well

☐

Other

2. Name of Operator

ENRON OIL & GAS COMPANY

3. Address and Telephone No.

P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1249' FSL 984' FWL (SE/SE)
SECTION 5, T9S, R22E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒

NOTICE OF INTENT

☐

SUBSEQUENT REPORT

☐

FINAL ABANDONMENT NOTICE

☐

ABANDONMENT

☒

RECOMPLETION

☐

PLUGGING BACK

☐

CASING REPAIR

☐

ALTERING CASING

☐

OTHER

☐

CHANGE OF PLANS

☐

NEW CONSTRUCTION

☐

NON-ROUTINE FRACTURING

☐

WATER SHUT-OFF

☐

CONVERSION TO INJECTION

(Note: Report results of multiple completion on Well Completions
or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company proposes to perforate the P6 Zone in the subject well as follows:

1. Set cement retainer @ +4550'. Squeeze perfs @ 4768-76' w/50 sx Class "G" cement. Drill out retainer & cement.
2. Test squeeze to 1000 psig. Drill out CIBP @ 4965'.
3. Set CIBP @ +5600'.
4. Perforate the P6 Zone @ 5420-23' & 5431-33' w/3 SPF.
5. Fracture stimulate w/480 bbls of gelled water, 69,000# 20/40 sand & 13,000# 20/40 curable resin coated sand. Flow test.
6. Land production tubing and place well back on production.

*NOTE: Enron will be using Nationwide Bond #NM 2308

14. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Regulatory Analyst

DATE

2/23/98

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FOR APPROVED
Budget Bureau No. 1004-0135
Expires September 30, 1990

AMENDED

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil ☐ WELL Gas ☒ Well ☐ Other

2. Name of Operator

ENRON OIL & GAS COMPANY

3. Address and Telephone No.

P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1249' FSL 984' FEL (SE/SE)
SECTION 5, T9S, R22E

5. Lease Designation and Serial No.

U 41370

6. If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

7. If Unit or C.A. Agreement Designation

8. Well Name and No.

CHAPITA WELLS FEDERAL 1-5

9. API Well No.

43-047-30661

10. Field and Pool or Exploratory Area

CHAPITA WELLS/WASATCH

11. COUNTY

STATE

UINTAH,

UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ NOTICE OF INTENT
☐ SUBSEQUENT REPORT
☐ FINAL ABANDONMENT NOTICE

☐ ABANDONMENT
☒ RECOMPLETION
☐ PLUGGING BACK
☐ CASING REPAIR
☐ ALTERING CASING
☐ OTHER


☐ CHANGE OF PLANS
☐ NEW CONSTRUCTION
☐ NON-ROUTINE FRACTURING
☐ WATER SHUT-OFF
☐ CONVERSION TO INJECTION

(Note: Report results of multiple completion on Well Completions
or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company proposes to perforate the P6 Zone in the subject well as follows:

1. Set cement retainer @ +4550'. Squeeze perfs @ 4768-76' w/50 sx Class "G" cement. Drill out retainer & cement.
2. Test squeeze to 1000 psig. Drill out CIBP @ 4965'.
3. Set CIBP @ +5600'.
4. Perforate the P6 Zone @ 5420-23' & 5431-33' w/3 SPF.
5. Fracture stimulate w/480 bbls of gelled water, 69,000# 20/40 sand & 13,000# 20/40 curable resin coated sand. Flow test.
6. Land production tubing and place well back on production.



*NOTE: Enron will be using Nationwide Bond #NM 2308

14. I hereby certify that the foregoing is true and correct

SIGNED

Patty Carlson

TITLE

Regulatory Analyst

DATE 2/23/98

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Category No. 1004-0135
Expires September 30, 1990

AMENDED

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas
☐ WELL ☒ Well ☐ Other

2. Name of Operator

ENRON OIL & GAS COMPANY

3. Address and Telephone No.

P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1249' FSL 984' FEL (SE/SE)
SECTION 5, T9S, R22E

5. Lease Designation and Serial No.

U 41370

6. If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

7. If Unit or C.A., Agreement Designation

8. Well Name and No.

CHAPITA WELLS FEDERAL 1-5

9. API Well No.

43-047-30661

10. Field and Pool or Exploratory Area

CHAPITA WELLS/WASATCH

11. COUNTY STATE
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ NOTICE OF INTENT
☒ SUBSEQUENT REPORT
☐ FINAL ABANDONMENT NOTICE

TYPE OF ACTION


☐ ABANDONMENT
☒ RECOMPLETION
☐ PLUGGING BACK
☐ CASING REPAIR
☐ ALTERING CASING
☐ OTHER
☐ CHANGE OF PLANS
☐ NEW CONSTRUCTION
☐ NON-ROUTINE FRACTURING
☐ WATER SHUT-OFF
☐ CONVERSION TO INJECTION

(Note: Report results of multiple completion on Well Completions
or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company perforated the P6 Zone in the subject well as follows:

1. Set cement retainer @ +4530'. Squeezed perfs @ 4768-76' w/75 sx Class "G" cement. Drilled out retainer & cement.
2. Tested squeeze to 1000 psig. Held OK. Drilled out CIBP @ 4978'.
3. Set CIBP @ +5620'.
4. Perforated the P6 Zone @ 5420-23' & 5431-33' w/3 SPF.
5. Fracture stimulated w/20,690 gals of gelled water, 69,200# 20/40 sand & 14,300# 20/40 curable resin coated sand. Flow tested.
6. Landed production tubing and place well back on production 3/9/98.



*NOTE: Enron will be using Nationwide Bond #NM 2308

14. I hereby certify that the foregoing is true and correct

SIGNED

R. J. Carlson

TITLE Regulatory Analyst

DATE 3/17/98

(This space for Federal or State official use)

APPROVED BY

CONDITIONS OF APPROVAL

Accepted by the
Utah Division of
Oil, Gas and Mining

DATE

FOR RECORD ONLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Expires August 31, 1985
LEASE DESIGNATION AND SERIAL NO.
U 41370
IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBAL SURFACE
UNIT AGREEMENT NAME

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐
1b. TYPE OF COMPLETION:
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RES. ☒ OTHER ☐
2. NAME OF OPERATOR
ENRON OIL & GAS COMPANY
3. ADDRESS OF OPERATOR
P.O. BOX 250 BIG PINEY, WYOMING 83113
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements*)
At surface 1249' FSL 984' FEL (SE/SE)
At top prod. interval reported below SAME
At total depth SAME
5. FARM OR LEASE NAME
CHAPITA WELLS FEDERAL
6. WELL NO.
1-5
10. FIELD AND POOL OR WILDCAT
CHAPITA WELLS/P SAND
11. SECTION, TOWNSHIP, OR BLOCK AND SURVEY
SECTION 5, T9S, R22E
12. COUNTY OR PARISH
UINTAH. UTAH
13. STATE
14. PERMIT NO.
43-047-30661
DATE PERMIT ISSUED

15. DATE SPUDDED 3/02/98
16. DATE T.D. REACHED 3/09/98
17. DATE COMPL. (Ready to prod.) 3/09/98
18. ELEVATIONS (DF, RKB, RT, GR, ETC.) 4741' KB
19. ELEV. CASING HEAD 4729' NAT. GL.
20. TOTAL DEPTH, MD & TVD 7108'
21. PLUG, BACK T.D., MD & TVD 7076' CIBP @ 5620'
22. IF MULTIPLE COMPLECTIONS, HOW MANY? 1
23. ROTARY TOOLS ROTARY
24. PRODUCING INTERVAL(S), OF THIS COMPLETION- TOP, BOTTOM, NAME (MD AND TVD)*
P SAND 5420' - 5433'
25. WAS DIRECTIONAL SURVEY MADE? NO
26. TYPE ELECTRIC AND OTHER LOGS RUN
NO LOGS WERE RUN DURING THIS RECOMPLETION.
27. WAS WELL CORED? NO

28. CASING RECORD (Report all strings set in well)
CASING SIZE WEIGHT, LB./FT. DEPTH SET (MD) HOLE SIZE CEMENTING RECORD AMOUNT PULLED
9-5/8" 36.0# K-55 199' 200 sx Class "G" cement. NONE
4-1/2" 11.6# K-55 7106' 1950 sx 50/50 Pozmix. NONE
29. LINER RECORD
SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT SCREEN (MD)
30. TUBING RECORD
SIZE DEPTH SET (MD) PACKER SET (MD)
2-3/8" 5446'
31. PERFORATION RECORD (Interval, size and number)
P SAND 5420-23' & 5431-33' w/3 SPI
32. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED
5420'-33' 20,690 gals gelled water, 69,200# 20/40 sand & 14,300# 20/40 RC sand.

33. PRODUCTION
DATE FIRST PRODUCTION 3/09/98
PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump) FLOWING
WELL STATUS (Producing or shut-in) PRODUCING
DATE OF TEST 3/16/98 HOURS TESTED 24 CHOKER SIZE 18/64" PROD FOR 0 BC OIL-BBL 128 MCFD GAS-MCF 4 BW WATER-BBL GAS-OIL RATIO
FLOW TUBING PRESS FTP 280 psig CASING PRESSURE CP 550 psig CALCULATED 24-HOUR RATE 0 BC OIL-BBL 128 MCFD GAS-MCF 4 BW WATER-BBL OIL GRAVITY-APL (CORR.)
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) SOLD
TEST WITNESSED BY JAY ORR
35. LIST OF ATTACHMENTS

36. Thereby certify that the foregoing and attached information is complete and correct as determined from all available records.
SIGNED *Jody Carlson* TITLE Regulatory Analyst DATE 3/17/98
* (See instructions and log pages for additional data on Reverse Side)
DIV. OF OIL, GAS & MINING

(December 1989)

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

AMENDED

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well ☐ Gas Well ☒ Other ☐

RECEIVED

MAR 16 1998

2. Name of Operator

ENRON OIL & GAS COMPANY

3. Address and Telephone No.

P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1249' FSL 984' FEL (SE/SE)
SECTION 5, T9S, R22E

(See No. 1004-0135)

Expires December 30, 1990

5. Lease Designation and Serial No.

U 41370

6. If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

7. If Unit or C.A. Agreement Designation

8. Well Name and No.

CHAPITA WELLS FEDERAL 1-5

9. API Well No.

43-047-30661

10. Field and Pool or Exploratory Area

CHAPITA WELLS/WASATCH

11. COUNTY

UINTAH

STATE

UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- ☒ NOTICE OF INTENT
- ☐ SUBSEQUENT REPORT
- ☐ FINAL ABANDONMENT NOTICE

- ☐ ABANDONMENT
- ☒ RECOMPLETION
- ☐ PLUGGING BACK
- ☐ CASING REPAIR
- ☐ ALTERING CASING
- ☐ OTHER

- ☐ CHANGE OF PLANS
- ☐ NEW CONSTRUCTION
- ☐ NON-ROUTINE FRACTURING
- ☐ WATER SHUT-OFF
- ☐ CONVERSION TO INJECTION

(Note: Report results of multiple completion on Well Completions
or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company proposes to perforate the P6 Zone in the subject well as follows:

1. Set cement retainer (a) +4550'. Squeeze perfs (a) 4768-76' w/50 sx Class "G" cement. Drill out retainer & cement.
2. Test squeeze to 1000 psig. Drill out CIBP (a) 4965'.
3. Set CIBP (a) +5600'.
4. Perforate the P6 Zone (a) 5420-23' & 5431-33' w/3 SPF.
5. Fracture stimulate w/480 bbls of gelled water, 69,000# 20/40 sand & 13,000# 20/40 curable resin coated sand. Flow test.
6. Land production tubing and place well back on production.

*NOTE: Enron will be using Nationwide Bond #NM 2308

14. I hereby certify that the foregoing is true and correct

SIGNED

Raty Carlson

TITLE Regulatory Analyst

DATE 2/23/98

(This space for Federal or State office use)

APPROVED BY

Thomas R. Lange

TITLE

Assistant Field Manager
Mineral Resources

DATE

5/8/98

CONDITIONS OF APPROVAL, IF ANY:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowing United States any false, fictitious or fraudulent statements or representations.

OPERATOR

Post-It™ brand fax transmittal memo 7671

of pages >

To

Lisha Cordova

From

Raty

Co.

Co. 2

AMENDED

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil ☐ WELL ☒ Gas Well ☐ Other

RECEIVED

MAR 16 1998

2. Name of Operator

ENRON OIL & GAS COMPANY

3. Address and Telephone No.

P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1249' FSL 984' FEL (SE/SE)
SECTION 5, T9S, R22E

5. Lease Designation and Serial No.

U 41370

6. If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

7. If Unit or C.A., Agreement Designation

8. Well Name and No.

CHAPITA WELLS FEDERAL 1-5

9. API Well No.

43-047-30661

10. Field and Pool or Exploratory Area

CHAPITA WELLS/VASATCH

11. COUNTY

STATE

UINTAH,

UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ NOTICE OF INTENT

☐ SUBSEQUENT REPORT

☐ FINAL ABANDONMENT NOTICE

☐ ABANDONMENT

☒ RECOMPLETION

☐ PLUGGING BACK

☐ CASING REPAIR

☐ ALTERING CASING

☐ OTHER

☐ CHANGE OF PLANS

☐ NEW CONSTRUCTION

☐ NON-ROUTINE FRACTURING

☐ WATER SHUT-OFF



☐ CONVERSION TO INJECTION

(Note: Report results of multiple completion on Well Completions
or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company proposes to perforate the P6 Zone in the subject well as follows:

1. Set cement retainer @ +4550'. Squeeze perfs @ 4768-76' w/50 sx Class "G" cement. Drill out retainer & cement.
2. Test squeeze to 1000 psig. Drill out CIBP @ -4965'.
3. Set CIBP @ +5600'.
4. Perforate the P6 Zone @ 5420-23' & 5431-33' w/3 SPF.
5. Fracture stimulate w/480 bbls of gelled water, 69,000# 20/40 sand & 13,000# 20/40 curable rosin coated sand. Flow test.
6. Land production tubing and place well back on production.



*NOTE: Enron will be using Nationwide Bond #NM 2308

14. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Regulatory Analyst

DATE 2/23/98

(This space for Federal or State office use)

APPROVED [Signature] TITLE Assistant Field Manager

Mineral Resources

DATE 5/8/98

CONDITIONS OF APPROVAL, IF ANY:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR

MAR 01 '99 12:02

3072763335

PAGE.02

FORM 3100-A
(December 1982)

UNITED STATES
DEPARTMENT OF INTERIOR
BUREAU OF LAND MANAGEMENT

AMENDED

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil ☒ Gas
☐ WELL ☒ Well ☐ Other

2 Name of Operator

ENRON OIL & GAS COMPANY

3 Address and Telephone No.

P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1249' FSL 984' FEL (SE/SE)
SECTION 5, T9S, R22E

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA.

TYPE OF SUBMISSION

TYPE OF ACTION

☐ NOTICE OF INTENT

☒ SUBSEQUENT REPORT

☐ FINAL ABANDONMENT NOTICE

<input type="checkbox"/>	ABANDONMENT
<input checked="" type="checkbox"/>	RECOMPLETION
<input type="checkbox"/>	PLUGGING BACK
<input type="checkbox"/>	CASING REPAIR
<input type="checkbox"/>	ALTERING CASING
<input type="checkbox"/>	OTHER




**CHANGE OF PLANS
NEW CONSTRUCTION
NON-ROUTINE FRACTURING
WATER SHUT-OFF
CONVERSION TO INJECTION**

(Note: Report results of multiple completion on Well Completions or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company perforated the P6 Zone in the subject well as follows:

1. Set cement retainer (w) +4530'. Squeezed perms (w) 4768-76' w/75 sx Class "G" cement. Drilled out retainer & cement.
2. Tested squeeze to 1000 psig. Held OK. Drilled out CIBP (w) 4978'.
3. Set CIBP (w) +5620'.
4. Perforated the P6 Zone (w) 5420-23' & 5431-33' w/3 SPF.
5. Fracture stimulated w/20,690 gals of gelled water, 69,200# 20/40 sand & 14,300# 20/40 curable resin coated sand. Flow tested.
6. Landed production tubing and place well back on production 3/9/98.



WTC
denied
3-30-99
90-day
rule

***NOTE: Enron will be using Nationwide Bond #NM 2308**

14. I hereby verify that the foregoing is true and correct.

SIGNED

TITLE *Regulatory Analyst*

DATE 3/17/98

This space for Federal or State of

APPROVED BY

CONDITIONS OF AFRICA 1945

FOR RECORD ONLY

Post-It™ brand fax transmittal memo 7671 # of pages ▶

To <i>Don Markin</i>	From <i>S. Kiefer</i>
Co.	Co.
Dept.	Phone #
Fax #	Fax #

MAR 01 '99 12:02

3072763335

PAGE. 01

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Bureau No. 1004-0135
Expires September 30, 1990

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil WELL ☒ Gas Well ☐ Other

2. Name of Operator

EOG RESOURCES, INC.

3. Address and Telephone No.

P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**1249' FSL 984' FEL (SE/SE)
SECTION 5, T9S, R22E**

5. Lease Designation and Serial No.

U 41370

6. If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

7. If Unit or C.A., Agreement Designation

8. Well Name and No.

CHAPITA WELLS FEDERAL 1-5

9. API Well No.

43-047-30661

10. Field and Pool or Exploratory Area

CHAPITA WELLS/WASATCH

11. COUNTY STATE

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ NOTICE OF INTENT
☐ SUBSEQUENT REPORT
☐ FINAL ABANDONMENT NOTICE

☒ ABANDONMENT
☐ RECOMPLETION
☐ PLUGGING BACK
☐ CASING REPAIR
☐ ALTERING CASING
☐ OTHER

☐ CHANGE OF PLANS
☐ NEW CONSTRUCTION
☐ NON-ROUTINE FRACTURING
☐ WATER SHUT-OFF
☐ CONVERSION TO INJECTION

(Note: Report results of multiple completion on Well Completions
or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

EOG Resources, Inc. proposes to plug & abandon the subject well as follows:

1. Lower tubing & spot 100' of cement on top of CIBP @ 5620'.
2. Set CIBP @ 5380'. Spot 100' of cement on CIBP.
3. Perforate 2 squeeze holes @ 250'.
4. Mix & pump 100 sx Class "G" cement down 4-1/2" casing and out 4-1/2 x 9-5/8" annulus through perfs @ 250'.
5. Cut off casing 3' below ground level and install cap & dry hole marker.

RECEIVED

APR 14 2000

**DIVISION OF
OIL, GAS AND MINING**

*NOTE: EOG will be using Nationwide Bond #NM 2308

14. I hereby certify that the foregoing is true and correct

SIGNED *John Carlson* TITLE **Regulatory Analyst**

DATE

**Accepted by the
Utah Division of
Oil, Gas and Mining**

(This space for Federal or State office use)

APPROVED BY

TITLE

COPY SENT TO OPERATOR

BY: *4-21-00*

DATE

FOR RECORD ONLY

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires September 30, 1990

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil WELL ☒ Gas Well ☐ Other

2. Name of Operator

EOG RESOURCES, INC.

3. Address and Telephone No.

P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**1249' FSL 984' FEL (SE/SE)
SECTION 5, T9S, R22E**

5. Lease Designation and Serial No.

U 41370

6. If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

7. If Unit or C.A., Agreement Designation

8. Well Name and No.

CHAPITA WELLS FEDERAL 1-5

9. API Well No.

43-047-30661

10. Field and Pool or Exploratory Area

CHAPITA WELLS/WASATCH

11. COUNTY STATE

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ NOTICE OF INTENT
☒ SUBSEQUENT REPORT
☐ FINAL ABANDONMENT NOTICE

☒ ABANDONMENT
☐ RECOMPLETION
☐ PLUGGING BACK
☐ CASING REPAIR
☐ ALTERING CASING
☐ OTHER

☐ CHANGE OF PLANS
☐ NEW CONSTRUCTION
☐ NON-ROUTINE FRACTURING
☐ WATER SHUT-OFF
☐ CONVERSION TO INJECTION

(Note: Report results of multiple completion on Well Completions
or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

EOG Resources, Inc. plugged & abandoned the subject well as follows:

1st plug: Pumped 15 sx Class "G" cement on top of the CIBP @ 5620'.

2nd plug: Set a CIBP @ 5383'. Pumped 15 sx Class "G" cement on top of CIBP.

3rd plug: Pumped 20 sx Class "G" cement and set 250' cement plug @ 1472'-1722'.

Perforated 2 squeeze holes @ 250'.

Pumped 120 sx Class "G" cement down 4-1/2" casing and out 4-1/2 x 9-5/8" annulus through perfs @ 250'.

Cut off 9-5/8" casing 3' below ground level. Mixed 9 sx if crete to fill up casing. Welded on P&A cap 4/26/2000.

RECEIVED

MAY 03 2000

**DIVISION OF
OIL, GAS AND MINING**

***NOTE: EOG will be using Nationwide Bond #NM 2308**

14. I hereby certify that the foregoing is true and correct

SIGNED

Naty Carlson

TITLE **Regulatory Analyst**

DATE **5/01/2000**

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"EOG RESOURCES, INC.", A DELAWARE CORPORATION,
WITH AND INTO "ENRON OIL & GAS COMPANY" UNDER THE NAME OF
"EOG RESOURCES, INC.", A CORPORATION ORGANIZED AND EXISTING
UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED
IN THIS OFFICE THE THIRTIETH DAY OF AUGUST, A.D. 1999, AT 4:30
O'CLOCK P.M.



Edward J. Freel, Secretary of State

2064000 8100M

991371085

AUTHENTICATION: 9955549

DATE: 09-03-99

8-30-99

**CERTIFICATE OF OWNERSHIP
AND MERGER**

MERGING

EOG RESOURCES, INC.
a Delaware corporation

INTO

ENRON OIL & GAS COMPANY
a Delaware corporation

(Pursuant to Section 253 of the General Corporation
Law of the State of Delaware)

Enron Oil & Gas Company, a corporation duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware, does hereby certify:

FIRST: That Enron Oil & Gas Company (the "Company") and EOG Resources, Inc. ("EOG") are corporations duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware.

SECOND: That the Company owns all of the issued and outstanding shares of the capital stock of EOG.

THIRD: That the board of directors of the Company adopted the following resolutions by unanimous written consent dated August 25, 1999, and that such resolutions have not been rescinded and are in full force and effect on the date hereof:

"WHEREAS, EOG Resources, Inc., a Delaware corporation ("EOG"), is a wholly owned subsidiary of the Company;

WHEREAS, the board of directors of the Company deems it advisable and in the best interest of the Company to merge EOG with and into the Company, with the Company being the surviving corporation;

NOW, THEREFORE, BE IT RESOLVED, that EOG be merged with and into the Company pursuant to Section 253 of the General Corporation Law of the State of Delaware, and that the Company succeed to and possess all the rights and assets of EOG and be subject to all of the liabilities and obligations of EOG;

RESOLVED, that the Company change its corporate name by changing Article First of the Certificate of Incorporation of the Company to read in its entirety as follows:

"First: The name of the Corporation is EOG Resources, Inc."

RESOLVED, that each share of common stock, \$1.00 par value per share, of EOG issued and outstanding immediately prior to the effective date of the merger shall, upon the effective date and by virtue of the merger, be canceled without payment therefor;

RESOLVED, that the merger shall become effective on the date the Company files a Certificate of Ownership and Merger with respect to such merger with the Secretary of State of the State of Delaware;

RESOLVED, that the appropriate officers of the Company are hereby authorized and empowered to file the necessary documents with the Secretary of State of the State of Delaware, to incur the necessary expenses therefor and to take, or cause to be taken, all such further action and to execute and deliver or cause to be executed and delivered, in the name of and on behalf of the Company, all such further instruments and documents as any such officer may deem to be necessary or advisable in order to effect the purpose and intent of the foregoing resolutions and to be in the best interests of the Company (as conclusively evidenced by the taking of such action or the execution and delivery of such instruments and documents, as the case may be, by or under the direction of any such officer);

RESOLVED, that the prior actions of the officers and directors of the Company in undertaking to carry out the transactions contemplated by the foregoing resolutions be, and the same hereby are, in all respects, approved, adopted, ratified and confirmed."

IT WITNESS WHEREOF, the Company has caused this Certificate to be signed by its duly authorized officer this 26th day of August, 1999.

ENRON OIL & GAS COMPANY

By:



Walter C. Wilson
Senior Vice President and
Chief Financial Officer





EOG Resources, Inc.
1200 Smith Street
Houston, TX 77002

P.O. Box 4362
Houston, TX 77210-4362

October 6, 1999

VIA OVERNIGHT MAIL

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Blanket Oil & Gas Well Drilling Bond No. JT 1230
Merger and Name Change from Enron Oil & Gas Company
Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. Enclosed are an originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change, a Rider for Bond No. JT 1230 changing the principal to EOG Resources, Inc. and a list of wells operated by Enron Oil & Gas Company in Utah. Please update your records accordingly.

If you have any questions or need any additional information, please contact me at (713) 853-5195.


Sincerely,

A handwritten signature in cursive script that reads "Debbie Hamre".

Debbie Hamre

Enclosures

cc: Theresa Wysocki
Toni Miller, Denver Division
Bill Aven



ENRON OIL & GAS COMPANY

CERTIFICATE OF NAME CHANGE

TO EOG RESOURCES, INC.

I, the undersigned, Vickie L. Graham, Assistant Secretary of EOG Resources, Inc., a corporation duly organized and existing under and by virtue of the laws of the State of Delaware and formerly known as Enron Oil & Gas Company, hereby certify that:

- (1) as Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation;
- (2) attached is a true and correct copy of a Certificate of Ownership and Merger merging EOG Resources, Inc. into Enron Oil & Gas Company, and changing the corporate name of Enron Oil & Gas Company to EOG Resources, Inc., including a copy of the certificate of the Secretary of State of Delaware, the state of incorporation; said merger and name change being effective as of August 30, 1999.

IN WITNESS HEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of said Corporation this 4th day of October, 1999.


CORPORATE SEAL

Vickie L. Graham
Vickie L. Graham
Assistant Secretary

STATE OF TEXAS

COUNTY OF HARRIS

This instrument was acknowledged before me this 4th day of October, 1999 by Vickie L. Graham, as Assistant Secretary of EOG Resources, Inc., a Delaware corporation, on behalf of said corporation. Witness my hand and official seal.



Ann S. Byers
Notary Public in and for
The State of Texas



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3100
SL-065342 et al
(UT-932)

OCT 18 1999

NOTICE

EOG Resources, Inc.
Attn: Debbie Hamre
P.O. Box 4362
Houston, TX 77210-4362

Oil and Gas Leases

Merger Recognized Name Change Recognized

Acceptable evidence has been received in this office concerning the merger of EOG Resources, Inc. with and into Enron Oil & Gas Company with Enron Oil & Gas Company subsequently changing its name to EOG Resources, Inc.

For our purposes, the merger and name change are recognized effective September 3, 1999, the date the Secretary of State of the State of Delaware recognized the merger and name change.


The oil and gas lease files identified on the enclosed exhibit have been noted as to the merger/name change. The exhibit is the list supplied by EOG Resources, Inc. We have not adjudicated the case files to determine if the entity affected by the merger/name change holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger/name change by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Enron Oil & Gas Company to EOG Resources, Inc. on Nationwide Surety Bond No. JP 0923 (BLM Bond No. NM 2308). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name may be furnished to the New Mexico State Office of the Bureau of Land Management.

Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure:
Exhibit of Leases



STATE OF UTAH
DIVISION OF OIL, GAS AND MINES

01/18/2000

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

PATTY E ROBINSON
 ENRON OIL & GAS CO
 PO BOX 250
 BIG PINEY, WY 83113

UTAH ACCOUNT NUMBER: N0401REPORT PERIOD (MONTH/YEAR): 12 / 1999AMENDED REPORT ☐ (Highlight Changes)

WELL NAME			Producing Zone	Well Status	Well Type	Days Oper	Production Volumes		
API Number	Entity	Location					OIL (BBL)	GAS (MCF)	WATER (BBL)
CWU 58-19									
4304730827	10740	09S 23E 19	WSTC		GW		U-0337		4pprv 10.20.99
NBU 37-13B									
4304730400	10853	09S 20E 13	GRRV		GW		U-0579		11
NBU 38-22B									
4304730401	10854	09S 20E 22	GRRV		GW		U-0577A		11
NBU 27-1B									
4304730381	11049	10S 20E 01	GRRV		GW		U-02270A		11
CWU 1-5									
4304730661	11050	09S 22E 05	GRRV		GW		U-15727		11
WILD HORSE FEDERAL 2-26									
4304731882	11051	10S 19E 26	WSTC		GW		U-3405		11
COTTONWOOD FED. 1-20									
4304731875	11052	09S 21E 20	GRRV		GW		U-0575		11
COTTONTAIL FEDERAL 1-18									
4304731899	11125	09S 21E 18	GRRV		GW		U-0575		11
NBU 11-14B									
4304730292	11150	09S 20E 14	GRRV		OW		U-0577A		11
NBU 12-23B									
4304730308	11151	09S 20E 23	GRRV		GW		U-0577A		11
WILD HORSE FEDERAL 2-35									
4304731901	11254	10S 19E 35	WSTC		GW		U-3405		11
WILD HORSE FEDERAL 3-26									
4304732377	11439	10S 19E 26	WSTC		GW		U-43156		11
WILD HORSE FEDERAL 3-35									
4304732389	11444	10S 19E 35	WSTC		GW		U-3405		11

TOTALS

--	--	--

COMMENTS :

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

February 1, 2000

Enron Oil & Gas Company
P.O. Box 250
Big Piney, Wyoming 83113

Re: Notification of Sale or Transfer of Fee Lease Interest

The Division has received notification of a merger from Enron Oil & Gas Company to EOG Resources Inc. for the following well(s) which are located on a fee lease:

<u>Well Name</u>	<u>Sec.-T.-R.</u>	<u>API Number</u>
Stagecoach 18-17	17-09S-22E	43-047-30611
CWU 228-09	09-09S-22E	43-047-31317
CWU 337-09	09-09S-22E	43-047-32414
CWU 408-9N	09-09S-22E	43-047-33043
CWU 536-9F	09-09S-22E	43-047-33143
North Chapita 2-5	05-09S-22E	43-047-33211
CWU 535-9F	09-09S-22E	43-047-33275

Utah Administrative Rule R649-2-10 states; the owner of a lease shall provide notification to any person with an interest in such lease, when all or part of that interest in the lease is sold or transferred.

This letter is written to advise Enron Oil & Gas Company of its responsibility to notify all individuals with an interest in this lease (royalty interest and working interest) of the change of operator. Please provide written documentation of this notification to:

Utah Royalty Owners Association
Box 1292
Roosevelt, Utah 84066

Page 2
Enron Oil & Gas Company
Notification of Sale
February 1, 2000

Your assistance in this matter is appreciated.

Sincerely,

A handwritten signature in black ink that reads "Kristen D. Risbeck". The signature is written in a cursive, flowing style.

Kristen D. Risbeck

cc: EOG Resources Inc.
Utah Royalty Owners Association, Martin Brotherson
John R. Baza, Associate Director
Operator File(s)



EOG Resources, Inc.
1200 Smith Street
Houston, TX 77002

P.O. Box 4382
Houston, TX 77210-4382

SENT VIA FAX
(801)359-3940

March 10, 2000

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801

RE: Merger and Name Change from Enron Oil & Gas Company
Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. An originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change was previously sent to you. As we discussed today, there are two wells, the CWU 590-16F, NWNW-16-T9S-R22E, 430473337200 and the CWU 596-9F, SWSE-9-T9S-R22E, 430473337400 that should have been included on the original well list we mailed October 6, 1999, but they were inadvertently left off.

Please change your records to reflect these two additional wells as operated by EOG Resources, Inc. If you have any questions or need any additional information, please contact me at the (713) 651-6714.

Sincerely,


Debbie Hamre

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
BRENNAN BOTTOMS 1-15	U-14639	430473101800
COTTONTAIL FED 1-18	U-0575	430473189900
COTTONWOOD FED 1-20	U-0575	430473187500
CWU 1-04	U-15726	430473066000
CWU 1-05 WASATCH	U-15727	430473066100
CWU 5-22	U-0284A	430471505100
CWU 7-10	U-0281	430471505300
CWU 11-15	U-0283A	430471505600
CWU 13-13	U-0282	430471505800
CWU 15-11	U-0281	430471506000
CWU 16-14	U-0282	430471506100
CWU 17-25	U-0285A	430471506200
CWU 20-28	U-0285A	430471506500
CWU 21-23	U-0282	430471506600
CWU 22-09	U-0283A	430471506700
CWU 24-02	ML-3077	430471506800
CWU 30-22	U-0284A	430473022900
CWU 31-14	U-0282	430473023200
CWU 32-21	U-0284A	430473023300
CWU 33-16	ML-3078	430473023400
CWU 34-28	SL-D65296	430473023500
CWU 35-15	U-0283A	430473023600
CWU 36-26	U-0285A	430473026300
CWU 37-11	U-0281	430473026400
CWU 38-09	U-0283A	430473026500
CWU 39-16	ML-3078	430473026800
CWU 40-27	U-0344A	430473028700
CWU 42-13	U-0282	430473028900
CWU 43-11	U-0281	430473029000
CWU 44-10	U-0281	430473029100
CWU 45-25	U-010956	430473061200
CWU 47-30	U-0337	430473061400
CWU 48-19	U-0337	430473061500
CWU 49-25	U-0285A	430473070200
CWU 52-33	U-0336	430473071200
CWU 58-19	U-0337	430473082700
CWU 217-23	U-0282	430473115700
CWU 220-10	U-0281	430473115400
CWU 224-10	U-0281	430473121800
CWU 225-02	ML-3077	430473130500
CWU 226-03	U-0281	430473131200
CWU 227-03	U-0281	430473131300
CWU 228-09	FEE	430473131700
CWU 229-12	U-0282	430473131500
CWU 231-14	U-0282	430473131800

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
CWU 232-15	U-0283A	003693000001
CWU 233-15	U-0283A	003694000001
CWU 234-23	U-0282	003695000001
CWU 236-13 BC	U-0282	003697000001
CWU 236-13 PP		003697000002
CWU 237-22	U-0284	003698000001
CWU 238-16	ML-3078	003699000001
CWU 239-09	U-0283A	003700000001
CWU 240-16	ML-3078	003702000001
CWU 241-16	ML-3078	003703000001
CWU 244-25A CH	U-0285A	003707000002
CWU 244-25A ISL		003707000001
CWU 301-26	U-010956	019747000001
CWU 302-2F	ML-3077	020089000001
CWU 303-22	U-0284A	019748000001
CWU 304-13	U-0282	019749000001
CWU 306-27	U-0285A	021166000001
CWU 307-28	U-0285A	021167000001
CWU 308-21	U-0284A	021168000001
CWU 310-9	U-0283A	024129000001
CWU 311-26	U-0285A	021169000001
CWU 312-23	U-0282	020022000001
CWU 315-11F	U-0281	032567000001
CWU 319-14	U-0282	020023000001
CWU 320-11X	U-0281	024130000001
CWU 321-26	U-0285A	020025000001
CWU 323-22	U-0284A	020024000001
CWU 324-22	U-0284A	021172000001
CWU 325-24N	U-0282	031378000001
CWU 326-24	U-0282	021628000001
CWU 327-23	U-0282	021629000001
CWU 328-24F	U-0282	032254000001
CWU 332-10	U-0281	024131000001
CWU 334-02	ML-3077	021630000001
CWU 337-9N	FEE	021631000001
CWU 339-25	U-010956	021173000001
CWU 340-26N	U-0285A	024133000001
CWU 341-21N	U-0284A	022029000001
CWU 342-22	U-0284A	021198000001
CWU 343-15N	U-0283A	022030000001
CWU 344-23N	U-0282	022031000001
CWU 345-9N	U-0283A	022032000001
CWU 346-26N	U-0285A	022033000001
CWU 347-26N	U-010956	022034000001
CWU 348-23N	U-0282	022035000001

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
CWU 349-27N	U-0285A	022036000001 430473237400
CWU 350-14N	U-0282	022037000001 430473237500
CWU 351-15N	U-0283A	022038000001 430473239000
CWU 352-16	ML-31603	032569000001 430473333000
CWU 353-15F	U-0283A	025923000001 430473255500
CWU 355-13N	U-0282	025926000001 430473264400
CWU 358-23F	U-0282	025924000001 430473254800
CWU 359-27N	U-0285A	024135000001 430473243300
CWU 360-26N	U-0285A	024136000001 430473243200
CWU 364-15	U-0283A	024138000001 430473243600
CWU 401-28F	U-0285A	031398000001 430473313300
CWU 403-3N	U-0281	025124000001 430473251000
CWU 404-10N	U-0281	025125000001 430473251100
CWU 407-16N	ML-3078	032570000001 430473334700
CWU 408-09N	FEE	030439000001 430473304300
CWU 409-11N	U-0281	025927000001 490353264300
CWU 410-02N	ML-3077	030389000001 430473289300
CWU 411-10N	U-0281	025126000001 430473249600
CWU 416-24N	SL-071756	025127000001 430473250100
CWU 429-22N	U-0284A	025129000001 430473248400
CWU 430-22F	U-0284A	025130000001 430473248500
CWU 431-23F	U-0282	025131000001 430473248600
CWU 432-12N	U-0281	025123000001 430473252300
CWU 433-28N	U-0285A	002592900001 4304732641
CWU 434-27N	*43.047.32789 U-0285A	025930000001 430473264000
CWU 435-24N	U-0282	025931000001 430473263900
CWU 439-11N	U-0281	025932000001 430473285100
CWU 440-14F	U-0282	025925000001 430473256200
CWU 441-11F	U-0281	032571000001 430473334800
CWU 442-11F	U-0281	030577000001 430473295100
CWU 443-11F	U-0281	027627000001 430473282300
CWU 448-10F	U-0281	030440000001 430473304400
CWU 449-10F	U-0281	030666000001 430473304500
CWU 451-14F	U-0282	027628000001 430473282400
CWU 454-14F	U-0282	030441000001 430473291400
CWU 457-15N	U-0283A	030667000001 430473295200
CWU 458-15F	U-0283A	030668000001 430473295400
CWU 460-16F	ML-3078	032572000001 430473334900
CWU 462-24F	SL-071756	032255000001 430473331400
CWU 463-23F	U-0282	027629000001 430473284100
CWU 464-23F	U-0282	032573000001 430473331500
CWU 465-23	U-0282	030669000001 430473292500
CWU 467-22F	U-0284A	030390000001 430473289500
CWU 469-22E	U-0284A	027630000001 430473282500
CWU 471-21F	U-0284A	031399000001 430473314100

LA in ERROR

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
CWU 474-21F	U-0284A	032574000001
CWU 477-27F	U-0285A	030391000001
CWU 479-26F	U-0285A	027631000001
CWU 480-26F	U-0285A	030388000001
CWU 482-09F	U-0283A	030392000001
CWU 483-15F	U-0283A	030665000001
CWU 485-26F	U-0285A	030670000001
CWU 486-2F	ML-3077	030576000001
CWU 487-09F	U-0283A	030617000001
CWU 488-13F	U-0282	030570000001
CWU 490-16N	ML-3078	030615000001
CWU 491-16N	ML-3078	030618000001
CWU 492-16F	ML-3078	030616000001
CWU 494-22F	U-0284A	030444000001
CWU 495-25N	U-0285A	030673000001
CWU 496-21E	U-0284A	030614000001
CWU 497-24F	U-0282	030674000001
CWU 498-25E	U-010956	030575000001
CWU 499-24F	U-0282	030672000001
CWU 505-28F	U-023998	031400000001
CWU 506-27F	U-0285A	031401000001
CWU 507-26F	U-010956	032444000001
CWU 511-24F	U-0282	031379000001
CWU 514-23F	U-0282	031380000001
CWU 516-21F	U-0284A	031382000001
CWU 517-16F	ML-3078	032257000001
CWU 518-16F	ML-3078	031402000001
CWU 520-15F	U-0283A	031381000001
CWU 521-15F	U-0283A	032258000001
CWU 522-15F	U-0283A	032242000001
CWU 523-14F	U-0282	032259000001
CWU 524-13F	U-0282	031403000001
CWU 531-11F	U-0281	032260000001
CWU 532-10F	U-0281	031407000001
CWU 534-9F	U-0283A	031408000001
CWU 535-9F	FEE	032220000001
CWU 536-09F	FEE	031409000001
CWU 538-3N	U-0281	031410000001
CWU 542-3	U-0281	032221000001
CWU 543-3	U-0281	032222000001
CWU 544-02F	ML-3077	032576000001
CWU 547-2F	ML-3077	031412000001
CWU 549-19F	U-0337	031383000001
CWU 550-30N	U-0337	031384000001
CWU 555-10F	U-0281	031385000001

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
CWU 556-11F	U-0281	031414000001
CWU 558-14F	U-0282	031386000001
CWU 559-14F	U-0282	031387000001
CWU 560-14F	U-0282	031416000001
CWU 561-14F	U-0282	031417000001
CWU 563-27F	U-0285A	031419000001
CWU 564-16F	ML-3078	031388000001
CWU 565-28F	U-0285A	031245000001
CWU 566-22F	U-0284A	031420000001
CWU 570-02F	ML-3077	031746000001
CWU 571-9F	U-0283A	031747000001
CWU 572-10F	U-0281	031748000001
CWU 573-11F	U-0281	031749000001
CWU 574-12N	U-0281	031750000001
CWU 575-13F	U-0282	031751000001
CWU 576-14F	U-0283	031752000001
CWU 577-22F	U-0284A	031753000001
CWU 578-22F	U-0284A	031754000001
CWU 579-23F	U-0282	031755000001
CWU 580-23F	U-0282	031756000001
CWU 582-1N	U-01458	031758000001
CWU 584-13F	U-0282	032261000001
CWU 585-2	ML-3077	032223000001
CWU 586-4	U-0283A	032224000001
CWU 589-28	U-0285A	032262000001
CWU 591-23F	U-0282	032577000001
CWU 592-11F	U-0281	032578000001
CWU 593-11F	U-0281	032579000001
DC 1-11 GR	U-27042	003747000001
DC 2-10 GR	U-27042	003758000001
DC 4-17 GR	U-38400	003780000001
DC 60-29	U-24230	003804000001
DC 61-29	U-24230	003805000001
* HARLEY GOVT #1	Reflex 306102	009856000001
HOME FEDERAL #1-34	U-3405	006503000001
HOME FEDERAL #1-34 WAS	—	006503000002
LTL PAP 1-26 B5	U-43166	010439000001
LTL PAP 1-26 RED	—	010439000002
N CHAPITA 2-5	File	031873000001
NATURAL COTTON 11-20	U-0575	023868000001
NATURAL COTTON 12-17	U-0575	025208000001
NATURAL COTTON 13-20	U-0575	023863000001
NATURAL COTTON 14-08	U-0575	023867000001
NATURAL COTTON 23-18	U-0581	023866000001
NATURAL COTTON 23-28	U-0576	023864000001

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
NATURAL COTTON 34-21	U-0576 023865000001	430473242600
NATURAL COTTON 43-16	ML-3282 025207000001	430473046800
NBU 1-07B	004478000001	430473026100
NBU 2-15B	004489000001	430473026200
NBU 3-02B	004524000001	430473026700
NBU 4-35B	004538000001	430473027300
NBU 5-36B	004550000001	430473027200
NBU 7-09B	004573000001	430473027800
NBU 8-20B	004576000001	430473027500
NBU 10-29B	004479000001	430473027400
NBU 11-14B	U-0577A 004480000002	430473029200
NBU 11-14B WAS	—	430473029200
NBU 12-23B M4	U-0577A 004481000002	430473030800
NBU 13-08B	004482000001	430473029400
NBU 14-30	U-0581 004483000001	430473029500
NBU 15-29B	004484000001	430473029600
NBU 16-06B	004485000001	430473031600
NBU 17-18B	004486000001	430473031700
NBU 19-21B	004488000001	430473032800
NBU 20-01B	004490000001	430473031900
NBU 21-20B WDW	004497000001	430473035900
NBU 25-20B	004516000001	430473036300
NBU 26-13B	004517000001	430473036400
NBU 27-01B	U-02270A 004518000002	430473038100
NBU 28-04B	004521000001	430473036700
NBU 29-05B	004523000001	430473036800
NBU 30-18	004526000001	430473038000
NBU 31-12B BC	004528000002	430473038500
NBU 31-12B ISL	— 004528000001	430473038500
NBU 33-17B	004531000001	430473039600
NBU 34-17B	000350000001	430473040400
NBU 35-08B	004533000001	430473039700
NBU 36-07B	004534000001	430473039900
NBU 37-13B	U-0579 004535000001	430473040000
NBU 38-22B	U-0577A 004536000001	430473040100
NBU 48-29B	004547000001	430473054200
NBU 48-29B	— 004547000002	430473054200
NBU 49-12B	004548000001	430473047000
NBU 52-01B	004553000001	430473047300
NBU 53-03B	004555000001	430473047400
NBU 54-02B	004556000001	430473047500
NBU 55-10B	004557000001	430473046500
NBU 57-12B	004559000001	430473046300
NBU 58-23B	004560000001	430473046200
NBU 62-35B	004565000001	430473047700

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
NBU 63-12B	004566000001	430473046600
NBU 70-34B	004574000001	430473057700
NBU 71-26B	004575000001	430473057800
NBU 202-03	004493000001	430473115000
NBU 205-08	004494000001	430473123800
NBU 206-09	004495000001	430473116500
NBU 207-04	004496000001	430473117700
NBU 210-24	004498000001	430473115300
NBU 211-20	004499000001	430473115600
NBU 212-19	004500000001	430473126700
NBU 213-36	004501000001	430473126800
NBU 217-02	004505000001	430473128200
NBU 218-17	004506000001	430473131000
NBU 219-24	004507000001	430473130800
NBU 301-24E	020165000001	430473213100
NBU 302-9E	019750000001	430473201000
NBU 304-18E	020166000001	430473213000
NBU 305-07E	020167000001	430473213500
NBU 306-18E	021473000001	430473228200
NBU 307-6E	019751000001	430473201400
NBU 308-20E	021203000001	430473220200
NBU 309-20E	021295000001	430473228300
NBU 311-23E	021205000001	430473220300
NBU 313-29E	021832000001	430473237800
NBU 314-03E	021404000001	430473227100
NBU 316-17E	021935000001	430473238100
NBU 317-12E	021938000001	430473236200
NBU 318-36E	021204000001	430473220400
NBU 321-10E	021943000001	430473237900
NBU 322-15E	031312000001	430473313900
NBU 325-8E	021940000001	430473237600
NBU 328-13E	021944000001	430473238600
NBU 329-29E	021532000001	430473222900
NBU 331-35E	020174000001	430473214700
NBU 332-08E	020175000001	430473214800
NBU 333-2E	021405000001	430473251800
NBU 335-23E	021406000001	430473226500
NBU 336-24E	021407000001	430473226400
NBU 339-19E	021533000001	430473228100
NBU 340-20E	021408000001	430474232700
NBU 341-29E	022179000001	430473305500
NBU 342-35E	021206000001	430473221200
NBU 343-36E	021207000001	430473220500
NBU 349-07E	021534000001	430473232600
NBU 352-10E	021937000001	430473251900

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
NBU 356-29E	021834000001	430473238300
NBU 358-1E	021942000001	430473238800
NBU 360-13E	021945000001	430473238700
NBU 382-18E	031002000001	430473306400
NBU 386-24E	031005000001	430473305600
NBU 388-19E	031134000001	430473305700
NBU 389-29E	031344000001	430473304900
NBU 390-4E	031316000001	430473283500
NBU 391-05E	031007000001	430473298800
NBU 393-13E	031008000001	430473307100
NBU 394-13E	031009000001	430473307200
NBU 400-11E	025576000001	430473254400
NBU 431-09E	031135000001	430473306900
NBU 481-03E	031136000001	430473306300
NBU 483-19E	031137000001	430473306500
NBU 489-07E	031329000001	4304733121
NBU 490-30E	<i>Appl. U-0581</i> 031330000001	430473313500
NBU 497-1E	031337000001	430473312300
NBU 506-23E	031342000001	430473314000
NBU 508-8E	031300000001	430473312400
NBU STATE 1-32G	<i>ML-22261</i> 004470000001	430473031500
NBU STATE 2-36G	004471000001	430473051500
NDC 69-29 ORI	<i>U-24230</i> 010915000001	430473158000
NDK STORAGE	024739000001	
NDU 1-28	<i>U-0516</i> 004581000001	430473126900
OSCU II 1-34	<i>U-49523</i> 019777000001	430473203900
OSCU II 2-27 (DEV)	<i>U-44518</i> 001727000001	430473189800
OSCU II FED #1	<i>U-44518</i> 011041000001	430473172200
STG 1-32	<i>ML-3085</i> 005915000001	430471507100
STG 2-28	<i>U-0803</i> 005928000001	430471507200
STG 6-20	<i>Indian</i> 005936000001	430471507500
STG 11-22	<i>U-025960</i> 005919000001	430472019300
STG 14-34	<i>U-9613</i> 005922000001	430473059400
STG 15-27	<i>U-0803</i> 005923000001	430473060400
STG 18-17	<i>Fee</i> 005926000001	430473061100
STG 19-33	<i>U-9613</i> 005927000001	430473065700
STG 21-08	<i>U-0283</i> 005930000001	430473065900
STG 22-17	<i>Indian</i> 005931000001	430473129900
STG 33-17N	<i>Indian</i> 024128000001	430473244100
STG 41-20	<i>U-019362A</i> 021175000001	430473228000
STG 44-8N	<i>U-0283</i> 025122000001	430473252000
STG 48-17F	<i>Indian</i> 031389000001	430473272800
STG 50-20F	<i>U-019362</i> 031390000001	430473310400
STG 51-20F	<i>Indian</i> 031391000001	430473312000
STG 52-08N	<i>U-0283</i> 031745000001	430473283400

EOG RESOURCES, INC.
UTAH OPERATED WELLS

WELL NAME	EOG PROPERTY #	API #
STG 53-08N <i>U-0283</i>	032264000001	430473268200
STG 56-20F <i>Indian</i>	032265000001	430473337000
STG 57-08N <i>U-0283</i>	032266000001	430473337100
WILD HORSE FED 2-26 <i>U-3405</i>	008266000001	430473188200
WILD HORSE FED 2-35 <i>U-3405</i>	019139000001	430473190100
WILD HORSE FED 3-26 <i>U-43/56</i>	021869000001	430473237700
WILD HORSE FED 3-35 <i>U-3405</i>	021871000001	430473238900

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the Division regarding this change.

Initial each listed item when completed. Write N/A if item is not applicable.

☐ Change of Operator (Well Sold)☐ Designation of Agent☐ Designation of Operator☒ Operator Name Change Only (MERGER)

ROUTING:

1-KDR	6-KAS <input checked="" type="checkbox"/>
2-GLH	7-SJ <input checked="" type="checkbox"/>
3-JRB	8-FILE
4-CDW	
5-KDR	

The operator of the well(s) listed below has changed, effective: 8-30-99

TO:(New Operator) EOG RESOURCES INC.
 Address: P.O. BOX 4362
HOUSTON, TX 77210-4362
DEBBIE HAMRE
 Phone: (713)651-6714
 Account No. N9550

FROM:(Old Operator) ENRON OIL & GAS COMPANY
 Address: P.O. BOX 4362
HOUSTON, TX 77210-4362
DEBBIE HAMRE
 Phone: (713)651-6714
 Account No. N0401

ALL(S): Attach additional page(s) if needed.

Name: **SEE ATTACHED**	API: <u>43 047 3066</u>	Entity: <u>S 05 T 95 R 222</u>	Lease: <u>1</u>
Name: _____	API: _____	Entity: <u>S T R</u>	Lease: _____
Name: _____	API: _____	Entity: <u>S T R</u>	Lease: _____
Name: _____	API: _____	Entity: <u>S T R</u>	Lease: _____
Name: _____	API: _____	Entity: <u>S T R</u>	Lease: _____
Name: _____	API: _____	Entity: <u>S T R</u>	Lease: _____

OPERATOR CHANGE DOCUMENTATION

- KDR 1. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator (attach to this form) on 10.7.99.
- KDR 2. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 10.7.99.
- KDR 3. The new company has been looked up in the **Department of Commerce, Division of Corporations Database** if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? Yes/No If yes, the company file number is _____. If no, Division letter was mailed to the new operator on _____.
- KDR 4. **Federal and Indian Lease Wells.** The BLM and/or the BIA has approved the operator change for all wells listed above involving Federal and/or Indian leases. BIM-Rec'd 10.20.99
BIA-Rec'd 3.10.99
- N/A 5. **Federal and Indian Units.** The BLM and/or the BIA has approved the operator change for the _____ unit and all wells listed above involving unit operations. (Name change only - BIM approved)
- N/A 6. **Federal and Indian Communitization Agreements ("CA").** The BLM and/or the BIA has approved the operator change for CA (Federal, Indian), CA No. _____, and all wells listed above involved in the CA.

* For wells located on a CA (state or fee) send a copy of the sundry notice of all wells involved to Teresa Thompson at the S.L. Office before approval.

7. **Underground Injection Control ("UIC") Program.** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above. ** need 1 for 43.*
- YDR 8. Changes have been entered in the Oil and Gas Information System for each well listed on 1.31.2000 ^{3.16.00} *by DTS*
9. Changes have been entered in RBDMS for each water/gas injection, water disposal well listed on _____.
10. Changes have been included on the monthly "Operator, Address, and Account Changes" memo on _____.
- YDR 11. An **Operator Change File** has been set up, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- YDR 1. (R649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? Yes/No No If entity assignments were changed, attach copies of Form 6, Entity Action Form.
- YDR 2. Tax Commission, Trust Lands, and Forestry, Fire & State Lands have been **notified** through normal procedures of entity changes.

BOND VERIFICATION - (FEE LEASE WELLS)

- YDR 1. (R649-3-1) The **NEW** operator of any fee lease well(s) listed above has furnished a proper bond. *Rider # JT-1230 eff 10.4.99 St. Paul Fire & Marine (80,000)*
2. A copy of this form has been placed in the new and former operator's bond files on _____.
- YDR 3. The **FORMER** operator has requested a release of liability from their bond as of today's date No, Rider. If yes, Division response was made to this request by letter dated _____ (see bond file).

LEASE INTEREST OWNER NOTIFICATION OF RESPONSIBILITY

- YDR 1. E-mail sent on _____ to _____ at SITLA for changes involving State leases. (Wait two weeks before changing, unless the Division hears otherwise.) *(80,000 Statewide) St. Paul Fire & Marine*
- YDR 2. (R649-2-10) The **Former** operator of any Fee lease wells listed above has been contacted and informed by letter dated 2.1.2000, of their responsibility to notify all interest owners of this change. *JP-0921*

FILMING

- YB 1. All attachments to this form have been **microfilmed** on APR 25 2001.

FILING

1. Copies of all attachments pertaining to each individual well have been filed in each well file.
2. The **original of this form**, and the **original attachments** have been filed in the Operator file(s).

COMMENTS